


Function Structure





INSPIRATION


The precision and unique elements of architectural design that determine the functionality of a structure are the inspiration for our latest collection, Structure and Function.

Function has a molded wash of pattern across the plain with a subtle hint of texture, suggesting movement and light. Structure has a clean form with a pristine nubby appearance – the perfect proportional complement to Function.

Function's 18"x 36" tiles and Structure broadloom are available in 9 saturated neutral shades, and are the perfect balance of shape and color to create a canvas base that highlights the architectural surroundings in a space.














COORDINATES

Beyond the beauty of individual products, our flooring coordinates effortlessly across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs with tonal simplicity to create palettes that reflect the demands of each unique space.

- 1.TWILL WEAVE // 7586 // 2883 Corded // Modular
- 2. MAKE YOUR MARK // V5012+V5013 // 1068 Denim // LVT
- 3. DIGITAL // 1859 // 3571 Mainframe // Kinetex
- 4. ARTISTRY // 7803 // 3683 Night Sky // Modular
- 5. STRUCTURE // 20100 // 1806 Spandrel // Broadloom
- 6. CATWALK II // 7268 // 1429 Photo Op // Modular Walk-Off

- 7. FUNCTION // 7410 // 1806 Spandrel // Modular
- 8. SEGMENT // V5031+V5032 // 1118 Mosiac // LVT
- 9. FRACTURED PLAID // 7587 // 2883 Corded // Modular
- 10. VARIANT // 7926 // 3072 Unify // Modular
- 11. TECHNIQUE // 7904 // 3683 Night Sky // Modular
- 12. ONE GOOD TURN // 7075 // 3331 Turn it Up // Modular

Function 18"x36" MODULAR

COLOR 1800 camber

COLOR 3398

portico



QUICK SHIP COLOR 3397 bracket

QUICK SHIP

transom

COLOR 3399



COLOR 1802
gambrel

COLOR 1805



QUICK SHIP

truss

COLOR 1804

COLOR 1801
pilaster



COLOR 1806 spandrel

Structure BROADLOOM



color 1800 camber



QUICK SHIP COLOR 3397 bracket




QUICK SHIP COLOR 1802 gambrel



QUICK SHIP COLOR 1801 pilaster



QUICK SHIP COLOR 1804 truss



COLOR 3398 portico



QUICK SHIP COLOR 3399 transom



COLOR 1805 joist



COLOR 1806 spandrel

13

SPECIFICATIONS

FIBER

Encore® SD Ultima® Nylon

(with recycled content) is specifically engineered to maximize appearance retention with exceptional color, performance, sustainability, and practicality.

FIBER OPTION

Encore® 100

The high recycled content incorporated into Encore 100 nylon provides a reduced environmental impact without compromising quality or color clarity.

- » 100% post-industrial (pre-consumer) recycled content
- » Full inclusion into the J&J Flooring Reclamation Program
- » Lifetime warranty for stain removal, colorfastness, wear and static
- » See sales rep for for availability and price

MOISTURE

Are high levels of moisture in your concrete slab causing issues with your project's floor covering? We can help.

Nexus® Modular Carpet with TileTabs – 99% RH

- » Cost-efficient
- » Long-term performance
- » Straightforward, easy-to-understand warranty
- » Requires no special floor preparation

TECHNOLOGIES

ProTex® Anti-Soil Treatment

ProTex is a proprietary anti-soil treatment technology that is applied and bonded to the pile fiber to impede soiling and to improve cleanability. It is standard on all J+J Flooring products.

OPTIONAL:

ProSept® Antimicrobial Sentir® Advanced Odor-Blocking Technology

STANDARD BACKING

Nexus® Modular products can be installed in a variety of ways and are performance engineered to be visually appealing. In addition, they are designed to accommodate your long-term flooring budget.

- » Manufactured in an ISO 14001 certified facility
- » Contains pre-consumer recycled content and contributes to LEED and other sustainable building standards
- » Eligible for landfill diversion through the J+J Flooring Reclamation Program

PremierBac® Plus is standard on broadloom products and provides superior construction to ensure solid dimensional stability for broadloom

- » Stretch-in or glue-down installation
- » Manufactured in an ISO 14001 certified facility
- » Contains pre-consumer recycled content and contributes to LEED
- » Recyclable through the J+J Flooring R4 Carpet Reclamation Program

OPTIONAL BACKING:

Advance Modular Carpet Backing™ is engineered to provide outstanding performance, protection and stability that is required of modular carpet systems.

- » PVC-Free
- » Contains recycled content and contributes to
- » Eligible for landfill diversion through the J+J Flooring Reclamation Program

OTHER BACKING OPTIONS:

Nexus® Cushion Nexus® FC Cushion



Scan QR Code for backing details

ADHESIVES

is formulated for the most demanding interior carpet installations. It forms a powerful bond with stiff and heavy backed commercial carpets directly over approved substrates. It is quick setting, features antimicrobial protection and can be removed easily. This solvent free adhesive is also low in odor, meeting the low VOC emission criteria of the CRI Green Label Plus Indoor Air Quality. Commercialon Premium Adhesive is for use with broadloom PremierBac Plus, TitanBac®

A high strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVC backed carpet to the floor. This premium adhesive is for use with all Nexus Modular Tile products. This adhesive is guaranteed for the life of the installation when used in accordance with the J+J Flooring Carpet Installation Handbook. Commercialon Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria, CRI ID# PSA-425402. Commercialon Premium Modular Adhesive is non toxic, has ultra-low odor and is antimicrobial in

OPTIONAL:

TileTabs - High Tack Adhesive Tabs (modular only)

STRAIGHT-FORWARD WARRANTIES

Warranty: Installed with TileTabs	Warranty: Installed with Commercialon® Premium Adhesive and Commercialon® High Moisture Adhesive (non-prorated)	Warranty: Installed with any other adhesive	Max RH, pH: Installed without Commercialon® Premium Sealer	Max RH, pH: Installed with Commercialon® Premium Sealer
Lifetime	Lifetime	1 Year	90% RH, pH 9	99% RH, pH 11 (TileTabs) 97% RH, pH 11 (Commercial on ® Adhesive)

Commercialon® Premium Carpet Adhesive

Plus and Endure Plus backings systems.

Commercialon® Premium Modular Adhesive

the dry state.

STYLE	Function 7410 modular	Structure 20100 broadloom	
CONSTRUCTION	Patterned Loop	Textured Loop	
FIBER TYPE	100% Encore® SD Ultima® Nylon	100% Encore® SD Ultima® Nylon	
FIBER OPTION	Encore® 100	Encore® 100	
DYE METHOD	solution dyed	solution dyed	
OUNCE WEIGHT	18 oz./sy (610 grams/m2)	20 oz./sy (678 grams/m2)	
GAUGE	1/12 [4.72 rows/cm]	1/10 (3.94 rows/cm)	
STANDARD BACKING	Nexus® modular	PremierBac® Plus	
OPTIONAL BACKING	Advance Modular™		
SIZE	18" x 36" (45.72 cm x 91.44 cm)	12 ft. (3.66 m)	
PATTERN REPEAT	N/A	0.25"W x 0.25"L (0.64cm x 0.64cm)	
TOTAL THICKNESS (nominal average)	0.172 inches (0.437 cm)	0.218 inches (0.554 cm)	
SPECIAL TECHNOLOGY	ProTex® anti-soil treatment	ProTex® anti-soil treatment	
OPTIONAL SPECIAL TECHNOLOGIES	ProSept® Antimicrobial	ProSept® Antimicrobial	
	Sentir® Advanced Odor-Blocking Technology	Sentir® Advanced Odor-Blocking Technology	
PHYSICAL TESTING	flooring radiant panel (class 1)	flooring radiant panel (class 1)	
	pill test – (passes)	pill test – (passes)	
	smoke density (less than 450 flaming)	smoke density (less than 450 flaming)	
	static generation -(less than 3.5 kv)	static generation -(less than 3.0 kv)	
	ADA compliance (compliant for accessible routes)	ADA compliance (compliant for accessible routes)	
FIBER WARRANTY	lifetime fiber performance for wear	lifetime fiber performance for wear	
	lifetime fiber performance for static	lifetime fiber performance for static	
	lifetime stain removal	lifetime stain removal	
	lifetime colorfastness to light and atmospheric contaminants	lifetime colorfastness to light and atmospheric contaminants	
BACKING WARRANTY	lifetime for tuft bind strength (edge ravel, yarn pulls, zippering)	10 year for tuft bind strength (edge ravel, yarn pulls, zippering)	
	lifetime against delamination	10 year against delamination	
	3	, 3	

MODULAR INSTALLATION METHODS





basketweave











15







©2025 J+J Flooring Group, LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law. Due to the unique visual characteristics of $modular\ carpets,\ pattern\ repeats\ and\ pattern\ run-off\ seams\ may\ appear\ more\ noticeable\ than\ in\ broadloom\ carpets.\ Such\ visual\ pattern\ run-off\ seams\ may\ appear\ more\ noticeable\ than\ in\ broadloom\ carpets\ Such\ visual\ pattern\ run-off\ seams\ may\ appear\ more\ noticeable\ than\ in\ broadloom\ carpets\ Such\ visual\ pattern\ run-off\ seams\ may\ appear\ more\ noticeable\ than\ in\ broadloom\ carpets\ Such\ visual\ pattern\ run-off\ seams\ may\ appear\ more\ noticeable\ than\ in\ broadloom\ carpets\ Such\ visual\ pattern\ run-off\ seams\ may\ appear\ more\ noticeable\ than\ in\ broadloom\ carpets\ seams\ noticeable\ pattern\ run-off\ seams\ noticeable\ pattern\ noticeable\ noticeable\ pattern\ noticeable\ noticeable\$ $characteristics\ do\ not\ constitute\ a\ manufacturing\ defect,\ and\ as\ such,\ should\ be\ considered\ when\ selecting\ modular\ carpet\ and\ its$

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not J+J Flooring's responsibility.

14



P.O. BOX 2207

DALTON, GA 30722

P 800 241 4586

F 706 275 4433

JJFL00RING.C0M

NX0823M11

