

Fast Track

MODULAR

QUICK SHIP




FLOORING




cover: FAST TRACK // NITRO // ashlar
FAST TRACK // CHASE // herringbone




Fast Track MODULAR




QUICK SHIP
COLOR 3215
chase




QUICK SHIP
COLOR 3216
drift



QUICK SHIP
COLOR 3217
nitro



QUICK SHIP
COLOR 3218
breakout



QUICK SHIP
COLOR 3219
hairpin

FIBER

J+J Flooring’s **TeraPlex SD**, produced by the world’s most advanced carpet fiber extrusion process, is an advanced generation continuous filament PET fiber engineered for today’s commercial flooring needs. It was created by leading polymer scientists and utilizes the most advanced PET resin to create carpet fiber with vibrant color, superior fade resistance, and long-term performance.

- » Fiber thickness is 40% greater than conventional PET fiber for excellent crush resistance
- » Higher purity and high molecular weight polymer resists abrasion and staining
- » Solution dyed for superior colorfastness

BACKINGS

Nexus® Modular products can be installed in a variety of ways and are performance engineered to be visually appealing. In addition, they are designed to accommodate your long-term flooring budget.

- » Manufactured in an ISO 14001 certified facility
- » Contains pre-consumer recycled content and contributes to LEED
- » Recyclable through the J+J Flooring’s R4 Carpet Reclamation Program

ADHESIVE

Commercial® Premium Modular Adhesive
A high strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVC backed carpet to the floor. This premium adhesive is for use with all Nexus Modular Tile products. This adhesive is guaranteed for the life of the installation when used in accordance with the J+J Flooring Carpet Installation Handbook. Commercial Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria, CRI ID# PSA-425402. Commercial Premium Modular Adhesive is non toxic, has ultra-low odor and is antimicrobial in the dry state.

OPTIONAL:
Commercial® High Moisture Adhesive

TileTabs - High Tack Adhesive Tabs (modular only)

MOISTURE

Are high levels of moisture in your concrete slab causing issues with your project’s floor covering? We can help.

- » Nexus® Modular Carpet with TileTabs – 99% RH
- » Cost-efficient
- » Long-term performance
- » Straightforward, easy-to-understand warranty
- » Requires no special floor preparation

TECHNOLOGIES

ProTex® Anti-Soil Treatment
ProTex is a proprietary anti-soil treatment technology that is applied and bonded to the pile fiber to impede soiling and to improve cleanability. It is standard on all J+J Flooring products.

OPTIONAL:
ProSept® Antimicrobial
Sentir® Advanced Odor-Blocking Technology

STYLE

fast track 7578 modular

CONSTRUCTION

patterned loop

FIBER TYPE

TeraPlex™ SD PET

DYE METHOD

solution dyed

OUNCE WEIGHT

16.0 oz./sy (542 grams/m2)

GAUGE

1/12 (4.72 rows/cm)

BACKING

Nexus® modular

SIZE

18” x 36” (30.48 cm x 122.0 cm)

PATTERN REPEAT

n/a

TOTAL THICKNESS (nominal average)

0.25 inches (0.64 cm)

SPECIAL TECHNOLOGY

ProTex® anti-soil treatment

OPTIONAL SPECIAL TECHNOLOGIES

ProSept® antimicrobial
Sentir® advanced odor blocking treatment

PHYSICAL TESTING

flooring radiant panel (class 1)
pill test – (passes)
smoke density (less than 450 flaming)
static generation – (less than 3.5 kv)
ADA compliance (compliant for accessible routes)

WARRANTIES

lifetime fiber performance for wear
lifetime fiber performance for static
lifetime stain removal
lifetime colorfastness to light and atmospheric contaminants
lifetime Nexus® modular dimensional stability
lifetime for tuft bind strength (edge ravel, yarn pulls)
lifetime against delamination
Please visit jjflooring.com for full warranty details.

MODULAR INSTALLATION METHODS



STRAIGHT-FORWARD WARRANTIES					
Warranty: Installed with TileTabs	Warranty: Installed with Commercial® Premium Adhesive and Commercial® High Moisture Adhesive (non-prorated)	Warranty: Installed with any other adhesive	Max RH, pH: Installed with Commercial® Premium Sealer	Max RH, pH: Installed with Commercial® Premium Sealer	Max RH, pH: Installed with Commercial® High Moisture Adhesive
Lifetime	Lifetime	1 Year	90% RH, pH 9	99% RH, pH 11 (TileTabs) 97% RH, pH 11 (Commercial® Adhesive)	99% RH, pH12



P.O. BOX 2207

DALTON, GA 30722

P 800 241 4586

F 706 275 4433

JJFLOORING.COM

carpet | lvt | kinetex



FLOORING
A DIVISION OF ENGINEERED FLOORS