

FORCES OF NATURE COLLECTION


Zephyr



INSPIRATION

Forces of Nature depicts the beautiful chaos that results when elements gather and collide to take command of the skies. Zephyr offers an after-the-storm freshness with its muted textural transition of color and pattern. Tempest renders the strong surging movements of a wind storm through its irregular strokes of tone-on-tone color. Cumulus clouds share a story through translucent shape and billowy formations across a backdrop of temperate sky. The Forces of Nature Collection's 18" x 36" carpet tile palette features 14 colorways in Cumulus and Tempest, with 7 complementing colors in Zephyr.












COORDINATES

Beyond the beauty of individual products, our flooring coordinates effortlessly across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs with tonal simplicity to create palettes that reflect the demands of each unique space.

- 1. OBSIDIAN // 7718 // #2967 Shale // Modular
- 2. CUMULUS // 7480 // #3481 Stratus Natural // Modular
- 3. FRACTURED PLAID // 7587 // #2875 Eyelet // Modular
- 4. POWER PLAY // V5020+V5019 // #1080 Knowledge // LVT
- 5. ZEPHYR // 7478 // #3361 Breeze // Modular
- 6. URBAN AVENUE // 1843 // #2840 Region // Kinetex

- 7. ELEMENTAL // 7683 // #2638 Steel // Modular
- 8. TEMPEST // 7481 // #3495 Snow Natural // Modular
- 9. TWILL WEAVE // 7586 // #2875 Eyelet // Modular
- 10. TIMELESS // V5011 // #1061 Gift // LVT
- 11. AMELIA // N9131 // #3357 Wave // Broadloom
- 12. METAMORPHIC // 7717 // #2967 Shale // Modular

9



COORDINATES

Beyond the beauty of individual products, our flooring coordinates effortlessly across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs with tonal simplicity to create palettes that reflect the demands of each unique space.

- 1. NARRATIVE II // 7084 // #2998 Epilogue // Modular
- 2. CUMULUS // 7480 // #3487 Nimbus Natural // Modular
- 3. GAME CHANGER // 1851 // #3443 Upheaval // Kinetex
- 4. CUMULUS // 7480 // #3486 Nimbus Color // Modular
- 5. TEMPEST // 7481 // #3500 Squall Color // Modular
- 6. ZEPHYR // 7478 // #3364 Trade // Modular

- 7. TEMPEST // 7481 // #3501 Squall Natural // Modular
- 8. BOUCLÉ // 7081 + 3081 // #2714 Nubby // Modular + Broadloom
- 9. CRAFTWORK // 7099 + 6599 // #2205 Quilter // Modular + Broadloom
- 10. TIMELESS // V5011 // #1061 Gift // LVT
- 11. NATURALIST // 7572 // #3234 Sailor // Modular





Zephyr 18"x36" MODULAR











westerlies

COLOR 3363 local

COLOR 3364 trade







COLOR 3365 winds

COLOR 3366 planetary

COLOR 3367 monsoon

13

 $\uparrow \uparrow \uparrow$ monolithic

15

brick

FIBER

Encore® SD Ultima® Nylon

(with recycled content) is specifically engineered to maximize appearance retention with exceptional color, performance, sustainability, and practicality.

BACKINGS

Nexus° **Modular** products can be installed in a variety of ways and are performance engineered to be visually appealing. In addition, they are designed to accommodate your long-term flooring budget.

- » Manufactured in an ISO 14001 certified facility
- » Contains pre-consumer recycled content and contributes to LEED
- » Recyclable through the J+J Flooring's R4 Carpet Reclamation Program

ADHESIVE

Commercialon® Premium Modular Adhesive

A high strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVC backed carpet to the floor. This premium adhesive is for use with all Nexus Modular Tile products. This adhesive is guaranteed for the life of the installation when used in accordance with the J+J Flooring Carpet Installation Handbook. Commercialon Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria, CRI ID# PSA-425402. Commercialon Premium Modular Adhesive is non toxic, has ultra-low odor and is antimicrobial in the dry state.

OPTIONAL:

TileTabs - High Tack Adhesive Tabs (modular only)

MOISTURE

Are high levels of moisture in your concrete slab causing issues with your project's floor covering? We can help.

- » Nexus[®] Modular Carpet with TileTabs – 99% RH
- » Cost-efficient
- » Long-term performance
- » Straightforward, easy-tounderstand warranty
- » Requires no special floor preparation

TECHNOLOGIES

ProTex® Anti-Soil Treatment

ProTex is a proprietary anti-soil treatment technology that is applied and bonded to the pile fiber to impede soiling and to improve cleanability. It is standard on all J+J Flooring products.

OPTIONAL:

ProSept[®] Antimicrobial Sentir® Advanced Odor-Blocking Technology

Warranty: Installed with TileTabs	Warranty: Installed with Commercialon Premium Adhesive (non-prorated)	Warranty: Installed with any other adhesive	Max RH, pH: Installed without Commercialon [®] Premium Sealer	Max RH, pH: Installed with Commercialon [®] Premium Sealer
Lifetime	Lifetime	1 Year	90% RH, pH 9	99% RH, pH 11 (Tiletabs) 97% RH, pH 11 (Commercialon' Adhesiv









©2022 J+J Flooring Group, LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law. Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation.

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not J+J Flooring's responsibility.

STYLE	zephyr 7478 modular			
CONSTRUCTION	textured loop			
FIBER TYPE	100% Encore [°] SD Ultima [°] Nylon			
DYE METHOD	solution dyed			
OUNCE WEIGHT	24.0 oz./sy (814 grams/m²)			
GAUGE	1/10 (3.94 rows/cm)			
BACKING	Nexus° Modular			
SIZE				
	18" x 36" (45.72 cm x 91.44 cm)			
PATTERN REPEAT	n/a			
TOTAL THICKNESS (nominal average)	0.25 inches (0.64 cm)			
SPECIAL TECHNOLOGY	ProTex [®] anti-soil treatment			
OPTIONAL SPECIAL TECHNOLOGIES	ProSept [®] antimicrobial			
	Sentir [*] advanced odor blocking treatment			
PHYSICAL TESTING	flooring radiant panel (class 1)			
	pill test – (passes)			
	smoke density (less than 450 flaming)			
	static generation – (less than 3.5 kv)			
	ADA compliance (compliant for accessible routes)			
FIBER WARRANTY	lifetime fiber performance for wear			
	lifetime fiber performance for static			
	lifetime stain removal			
	lifetime colorfastness to light and atmospheric contaminants			
BACKING WARRANTY	lifetime for tuft bind strength (edge ravel, yarn pulls, zippering)			
	lifetime against delamination			
	lifetime dimensional stability			

basketweave

ashlar



P.O. BOX 2207

DALTON, GA 30722

P 800 241 4586

F 706 275 4433

JJFLOORING.COM

AX2322M08

