

APERTURE II



J+J FLOORING

From our establishment in 1957, we have become one of the oldest exclusive manufacturers of *commercial flooring* in the United States. As one of the largest privately held mills, our FAMILY-OWNERSHIP provides a *heritage* of proven performance and expansive industry knowledge. Most importantly, our focus has always been on *people...* ensuring them that our products deliver the highest levels of BEAUTY, PERFORMANCE and DEPENDABILITY.

carpet | lvt | kinetex

(cover) Aperture II Grayscale, monolithic.
(right) Aperture II Burst, ashlar.







aperture II broadloom 9770
aperture II modular 7770



color 2255
warm toned



color 2258
diffuse



color 2261
haze grey



color 2262
neutral density



color 2265
grayscale



color 3106
noise



color 3108
shutter



color 3109
sync



color 3110
burst



coordinating palette



Beyond the beauty of individual products, our flooring coordinates effortlessly with each other. This offering enables you to blend a range of designs with tonal simplicity to create palettes that reflect the demands of each unique space.

1	Aperture II	7770	#3109 Sync	Modular*
2	Fractured Plaid	7587	#2877 Felt	Modular
3	Tatami	V5003	#1023 Zen	LVT
4	Vertex	2439	#SRD58 Apex	Broadloom
5	Timeless	V5011	#1061 Gift	LVT
6	Against the Grain	1840	#2819 Barley	Kinetex
7	Tweed	7083	#2994 Suit	Modular

*also available in broadloom

Aperture II Sync monolithic and Timeless Gift, third drop.

product details

FIBER

Nylon 6,6

Nylon 6,6 fiber offers superior resistance to crushing, matting, wearing, soiling, staining and static with lifetime performance warranties for wear and static.

BACKINGS

Nexus® Modular

Nexus modular products can be installed in a variety of ways and are performance engineered to be visually appealing. In addition, they are designed to accommodate your long-term flooring budget.

- Manufactured in an ISO 14001 certified facility
- Contains pre-consumer recycled content and contributes to LEED
- Recyclable through the J+J Flooring's R4 Carpet Reclamation Program

PremierBac® Plus

J+J Flooring PremierBac® Plus is standard on broadloom products and provides superior construction to ensure solid dimensional stability for broadloom carpets.

- Stretch-in or glue-down installation
- Manufactured in an ISO 14001 certified facility
- Contains pre-consumer recycled content and contributes to LEED
- Recyclable through the J+J Flooring's R4 Carpet Reclamation Program

OPTIONAL:

Endure® Plus

TitanBac® Plus

TECHNOLOGIES

ProTex® Anti-Soil Treatment

ProTex is a proprietary anti-soil treatment technology that is applied and bonded to the pile fiber to impede soiling and to improve cleanability. It is standard on all J+J Flooring products.

OPTIONAL:

ProSept® Antimicrobial

Sentir® Advanced Odor-Blocking Technology

ADHESIVES

Commercialon® Premium Carpet Adhesive

Commercialon Premium Carpet Adhesive is formulated for the most demanding interior carpet installations. It forms a powerful bond with stiff and heavy backed commercial carpets directly over approved substrates. It is quick setting, features antimicrobial protection and can be removed easily. This solvent free adhesive is also low in odor, meeting the low VOC emission criteria of the CRI Green Label Plus Indoor Air Quality. Commercialon Premium Adhesive is for use with broadloom PremierBac® Plus and Endure® Plus backing systems.

Commercialon® Premium Modular Adhesive

A high strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVC backed carpet to the floor. This premium adhesive is for use with all Nexus Modular Tile products. This adhesive is guaranteed for the life of the installation when used in accordance with the J+J Flooring Carpet Installation Handbook. Commercialon Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria, CRI ID# PSA-425402. Commercialon Premium Modular Adhesive is non toxic, has ultra-low odor and is antimicrobial in the dry state.

OPTIONAL:

TileTabs - High Tack Adhesive Tabs (modular only)

MOISTURE

Are high levels of moisture in your concrete slab causing issues with your project's floor covering? We can help.

- Nexus® Modular Carpet with TileTabs – 99% RH
- Cost-efficient
- Long-term performance
- Straightforward, easy-to-understand Lifetime warranty
- Requires no special floor preparation

Warranty: Installed with TileTabs	Warranty: Installed with Commercialon® Premium Adhesive (non-prorated)	Warranty: Installed with any other Adhesive	Max RH, pH: Installed without Commercialon® Premium Sealer	Max RH, pH: Installed with Commercialon® Premium Adhesive
lifetime	lifetime	1 year	90% RH, pH 9	99% RH, pH 11 (Tiletabs) -- 97% RH, pH 11 (Commercialon)

corporate programs



Green Circle Certification

J+J Flooring strives to manage, and ultimately eliminate, waste in our manufacturing processes. Our steadfast commitment in the pursuit of Zero Waste to Landfill has earned us the industry-leading level of 95% waste diversion certification by a third-party certifier.

To learn more about our waste initiatives, please see our Sustainability Report online at jjflooring.com/sustainability



We're on it.
The J+J Flooring Premium Customer Experience.

Our Premium Customer Experience is a carefully crafted process by which we guarantee that our customers will get the products, services and the reliability they expect from us.

To learn more visit:
jjflooring.com/customer-experience/

©2020 J+J Flooring Group, LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.


Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation.

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not J+J Flooring's responsibility.



style	aperture II 7770 modular	aperture II 9770 broadloom
construction	patterned cut and loop	patterned cut and loop
fiber type	Nylon 6,6	Nylon 6,6
dye method	beck dyed	beck dyed
ounce weight	37.0 oz/sy (1255 grams/m²)	40.0 oz/sy (1356 grams/m²)
gauge	1/10 (3.94 rows/cm)	1/10 (3.94 rows/cm)
backing	Nexus® modular	PremierBac® Plus
size	24" x 24" (61 cm x 61 cm)	12 feet
pattern repeat	n/a	72" W x 77" L
total thickness (nominal average)	.375 inches (0.95 cm)	.375 inches (0.95 cm)
special technology	ProTex® anti-soil treatment	ProTex® anti-soil treatment
optional special technologies	ProSept® antimicrobial Sentir® advanced odor blocking treatment	ProSept® antimicrobial Sentir® advanced odor blocking treatment
physical testing	flooring radiant panel (class 1) pill test – (passes) smoke density (less than 450 flaming) static generation -(less than 3.5 kv) ADA compliance (compliant for accessible routes)	flooring radiant panel (class 1) pill test – (passes) smoke density (less than 450 flaming) static generation -(less than 3.5 kv) ADA compliance (compliant for accessible routes)
warranties	lifetime fiber performance for wear lifetime fiber performance for static lifetime stain removal lifetime colorfastness to light and atmospheric contaminants lifetime for tuft bind strength (edge ravel, yarn pulls, zippering) lifetime against delamination lifetime dimensional stability	lifetime fiber performance for wear lifetime fiber performance for static lifetime colorfastness to light and atmospheric contaminants 10 year for tuft bind strength (edge ravel, yarn pulls, zippering) 10 year against delamination

modular installation methods





FLOORING

A DIVISION OF ENGINEERED FLOORS

jjflooring.com

P.O. Box 2207
Dalton, GA 30722
p 800 241 4586
f 706 275 4433

carpet | lvt | kinetex
