


INVISION CHROMA




To be used for borders, accents and insets only.

J+J FLOORING GROUP

From our establishment in 1957, we have become one of the oldest exclusive manufacturers of *commercial flooring* in the United States. As one of the largest privately held mills, our **FAMILY-OWNERSHIP** provides a *heritage* of proven performance and expansive industry knowledge. Most importantly, our focus has always been on *people...* ensuring them that our products deliver the highest levels of **BEAUTY, PERFORMANCE** and **DEPENDABILITY.**

INVISION kinetex

[cover] Chroma Shade and Etched Dissolve , ashlar
[right] Chroma Pigment inset Milky Way Zabriskie, monolithic.



To be used for borders, accents and insets only.



Chroma Brilliant inset and Elevated Vanishing Point, monolithic.

To be used for borders, accents and insets only.



Chroma Cast and Index Volume, herringbone combo.



Chroma Wash accent and Inception Generate and Generate Buzz, basketweave.

To be used for borders, accents and insets only.

chroma 7031 To be used for borders, accents and insets only.

Available in 24" x 24" tiles, 18" x 36" planks and 12" x 48" demi-planks. See more at jjflooringgroup.com



style 7031
1951
cool



style 7031
1952
wash



style 7031
1953
tone



style 7031
1954
delicate



style 7031
1955
cast



style 7031
1956
warm



style 7031
1957
luminance



style 7031
1958
glow



style 7031
1959
tint



style 7031
1960
value



style 7031
1961
undertone



style 7031
1962
pigment



style 7031
1963
hue



style 7031
1964
shade



style 7031
1965
rich



style 7031
1966
dye



style 7031
1967
chameleon



style 7031
1968
radiant



style 7031
1969
primary



style 7031
1970
bright



style 7031
1971
crisp



style 7031
1972
clear



style 7031
1973
vivid



style 7031
1974
pure



style 7031
1975
intense



style 7031
1976
saturation



style 7031
1977
electric



style 7031
1978
vibrant



style 7031
1979
tinge



style 7031
1980
dimension



style 7031
1981
spectrum



style 7031
1982
brilliant



Chroma Hue and Index Catalog, herringbone

To be used for borders, accents and insets only.

product details

FIBER

Encore® BCF Nylon with ColorLoc® Plus

Encore BCF nylon with ColorLoc Plus is manufactured to offer exceptional color, performance and appearance retention. Carpet using Encore BCF nylon with ColorLoc Plus - our patented stain resistant technology - is engineered to resist permanent staining and is backed by Lifetime Performance Warranties for stain resistance, colorfastness, color transfer, water bleed, bleach resistance and wear.

BACKINGS

Nexus® Modular

Nexus modular products can be installed in a variety of ways and are performance engineered to be visually appealing. In addition, they are designed to accommodate your long-term flooring budget.

- Manufactured in an ISO 14001 certified facility
- Contains pre-consumer recycled content and contributes to LEED
- Recyclable through the J+J Flooring Group's R4 Carpet Reclamation Program

OPTIONAL:

Nexus® Cushion

ADHESIVES

Commercialon® Premium Modular Adhesive

A high strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVC backed carpet to the floor. This premium adhesive is for use with all Invision Nexus Modular Tile products. This adhesive is guaranteed for the life of the installation when used in accordance with the J+J Flooring Group Carpet Installation Handbook. Commercialon Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria, CRI ID# PSA-425402. Commercialon Premium Modular Adhesive is non toxic, has ultra-low odor and is antimicrobial in the dry state.

OPTIONAL:

TileTabs - High Tack Adhesive Tabs (modular only)

TECHNOLOGIES

ProTex® Soil Release

ProTex is a proprietary fluorochemical technology that is applied and bonded to the pile fiber to impede soiling and to improve cleanability. It is standard on all J+J Flooring Group products.

OPTIONAL:

ProSept® Antimicrobial

Sentir® Advanced Odor-Blocking Technology

corporate programs



Green Circle - Zero Waste to Landfill Operations Certification

We are proudly certified as a Zero Waste to Landfill manufacturer by GreenCircle Certified, LLC., a prominent third-party certifier of environmental claims. We are the first commercial flooring manufacturer in the United States to achieve this landfill free status and the first company in the industry to have its waste diversion efforts audited and verified by a recognized, third-party certifier.

To learn more about zero waste or our other initiatives see our sustainability progress report online at jjflooringgroup.com/sustainability



We're on it.

The J+J Flooring Group Premium Customer Experience.

Our Premium Customer Experience is a carefully crafted process by which we guarantee that our customers will get the products, services and the reliability they expect from us.

To learn more visit jjflooringgroup.com/about/cx

©2016 J&J Flooring Group, LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.

Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation.

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not J+J Flooring Group's responsibility.



style	chroma 7031 modular
construction	level loop
fiber type	100% Encore® SD Nylon with ColorLoc® Plus
dye method	solution dyed
ounce weight	23 oz/sy (780 grams/m²)
gauge	5/64 (5.04 rows/cm)
backing	Nexus® modular
size	24" x 24" (61 cm x 61 cm) 18" x 36" (46 cm x 91.44 cm) 12" x 48" (30.48 cm x 122 cm)
pattern repeat	n/a
total thickness (nominal average)	.25 inches (0.635 cm)
special technology	ProTex® fluorochemical
optional special technologies	ProSept® antimicrobial Sentir® advanced odor blocking treatment
physical testing	flooring radiant panel (class 1) pill test - (passes) smoke density (less than 450 flaming) static generation -(less than 3.5 kv) ADA compliance (compliant for accessible routes)
warranties	lifetime fiber performance for wear lifetime fiber performance for static lifetime stain removal lifetime colorfastness to light and atmospheric contaminants lifetime for tuft bind strength (edge ravel, yarn pulls, zippering) lifetime against delamination lifetime dimensional stability

*Chroma is to be used for borders, accents and insets only.

 FLOORING GROUP

jjflooringgroup.com

P.O. Box 1287
Dalton, GA 30722
p 800 241 4586
f 706 275 4433

INVISION **kinetex**

A Division of **Engineered
FLOORS**