

Classics II



Classics II



INSPIRATION

Classics II is a grouping of durable and affordable LVT. This product can easily pair with both new and existing interiors for a seamless aesthetic. With a 3mm thickness and popular color options, Classics II makes LVT selection easy.



[cover] CLASSICS II // VALUE // ½ drop
[right] CLASSICS II // NOTABLE // ½ drop



CLASSICS II // IDEAL // ½ drop



CLASSICS II // BENCHMARK // ½ drop

Classics II 9"x48" MODULAR



COLOR 1089
value



COLOR 1087
ideal



COLOR 1090
standards



COLOR 1091
rarity



COLOR 1107
principle



COLOR 1000
notable




COLOR 1088
benchmark



COLOR 1009
heritage



COLOR 1008
paradigm



COLOR 1003
heirloom



[above] CLASSICS II // STANDARDS // herringbone TWEED // PLEAT // ashlar
[back cover] CLASSICS II // RARITY // ½ drop



COORDINATES

Beyond the beauty of individual products, our flooring coordinates effortlessly across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs with tonal simplicity to create palettes that reflect the demands of each unique space.

- | | |
|---|--|
| 1. BOUCLÉ // 7081,3081 // #2712 Knot // Modular + Broadloom | 6. MAKE YOUR MARK // V5012,V5013 // #1063 Shadow // LVT |
| 2. AGAINST THE GRAIN // 1840 // #2820 Rye // Kinetex | 7. JACK // 7914 // #3422 Tie // Modular |
| 3. APERTURE II // 7770,9770 // #3110 Burst // Modular + Broadloom | 8. TWEED // 7083 // #2979 Pleat // Modular |
| 4. CLASSICS II // V5023 // #1090 Standards // LVT | 9. SERENE // 7592,6592 // #3229 Soft Grey // Modular + Broadloom |
| 5. CARBON COPY // 1854 // #3408 Dead Ringer // Kinetex | 10. TATAMI // V5003 // #1023 Zen // LVT |

SUSTAINABLY SOUND

J+J Flooring believes true sustainability requires full attention to the potential impacts of every aspect of our business. In accordance with our mission of waste reduction, J+J LVT products are 100% recyclable with up to 25% post-industrial recycled content – a true, safe and reliable stream derived from the manufacturing process. You can rest assured that health is also a top priority and all J+J Flooring LVT products are FloorScore Certified.



MOISTURE

Are high levels of moisture in your concrete slab causing issues with your project’s floor covering? We can help.

- » Cost-efficient
- » Long-term performance
- » Requires no special floor preparation

Installed without Commercialon® Premium Sealer	90% RH, pH 9
Installed with Commercialon® Premium Sealer	99% RH, pH 11 (Tiletabs, 5mm) 97% RH, pH 11 Commercialon Adhesive (2.5mm, 3mm)
Installed with Commercialon® High Moisture Adhesive	99% RH, pH12

ZPT ANTI-MICROBIAL TREATMENT

J+J Flooring LVT features a standard enhancement of ZPT (Zinc Protective Technology) anti-microbial. Dispersed into the product during the manufacturing process, ZPT anti-microbial prevents unpleasant odors, degradation and discoloration as a result of microbial contamination. ZPT contains Zinc Pyrithione as the main ingredient with no harmful additives. Zinc Pyrithione is a common dandruff shampoo ingredient and proven to be safe in both household and commercial use. ZPT anti-microbial technology guarantees your J+J Flooring LVT will provide a beautiful, long lasting and safe floor covering for years to come.


COMMERCIALON® PREMIUM MODULAR ADHESIVE

A high strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVC backed carpet to the floor. This premium adhesive is for use with all Nexus Modular Tile products. This adhesive is guaranteed for the life of the installation when used in accordance with the J+J Flooring Carpet Installation Handbook. Commercialon Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria, CRI ID# PSA-425402. Commercialon Premium Modular Adhesive is non toxic, has ultra-low odor and is antimicrobial in the dry state.

OPTIONAL:

Commercialon® High Moisture Adhesive

TileTabs - High Tack Adhesive Tabs
(5mm only)



- 1 Protective UV Cured Urethane with Ceramic Bead
- 2 Wear Layer
- 3 High Definition Print Film
- 4 Impact Resistant Core Layer
- 5 Foundational Base Layer

WARRANTIES

We stand behind every aspect of our LVT. Each warranty is covered for 10 years, provided that installation and maintenance is in accordance with J+J Flooring’s LVT Installation instructions.

Installed with Commercialon® Premium Adhesive (non-prorated)	Installed with TileTabs	Installed with any other adhesive
10 years	10 years (5mm only)	1 Year

STYLE

classics II V5023 modular

THICKNESS

3 mm

WEAR LAYER

20 mil

FINISH / COATING

enhanced UV urethane w/ ceramic bead

NOMINAL DIMENSIONS (INCHES)

9” x 48”

PATTERN REPEAT

random wood pattern

MICRO BEVELED

yes

CLASS / ASTM F1700

class III printed film vinyl plank - type B embossed

ANTIMICROBIAL

ZPT (zinc protective technology)

SQUARE FEET PER PLANK / TILE

3.00

SQUARE FEET PER CARTON

39.07

PRODUCT WARRANTY

10 year commercial warranty

REQUIRED ADHESIVE(S)

Commercialon® LVT Adhesive

MODULAR INSTALLATION METHODS



1/3 drop



ashlar



herringbone

©2022 J+J Flooring Group, LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.

Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation.

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer’s, and not J+J Flooring’s responsibility.





P.O. BOX 2207
DALTON, GA 30722
P 800 241 4586
F 706 275 4433
JJFLOORING.COM
NX0422M11

carpet | lvt | kinetex