


Craftwork Chromatics



INSPIRATION

Before there were manufacturing plants in Dalton, GA, before there were tufting machines, there were just people – experts in their craft of making tufted bedspreads and quilts, who pioneered early carpet making processes. Carpetmaking is still a craft, in every sense of the word. Craftwork and Chromatics is an ode and an homage to the art of carpet making. The rich, organic patterns are made distinct by delicate, but deliberate, detail. Craftwork and Chromatics have been brought to life by the hands of our own experts and artisans. Craftwork is offered in 12 colors in broadloom and modular tile with some modular colors available as quick ship. Chromatics is offered in 6 colors in modular tile.












COORDINATES

Beyond the beauty of individual products, our flooring coordinates effortlessly across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs with tonal simplicity to create palettes that reflect the demands of each unique space.

1. NUN FICTION II // 7026 // #3001 Glossary // Modula

- 2. OBSIDIAN // 7718 // #3278 Limestone Moss // Modular
- 3. MAKE YOUR MARK // V5012 // #1063 Shadow // LVT
- 4. GAME CHANGER // 1851 // #3439 Moment // Kinetex
- 5. CRAFTWORK // 6599 + 7099 // #3318 Metalsmith // Modular + Broadloom
- 6. METAMORPHIC // 7717 // #2959 Limestone // Modular

- 7. CHROMATICS // 7199 // #3323 Moss // Modular
- 8. MILKY WAY // 7956 // #2013 Stove Pipe // Modular
- 9. AGAINST THE GRAIN // 1840 // #2820 Rye // Kinetex
- 10. CARDIGAN // 7591 // #3334 Tweed Stitch // Modular
- 11. MAKE YOUR MARK // V5012 // #1070 Fern // LVT
- 12. FICTION II // 7025 // #3346 Lexicon // Modular



Craftwork 24"x24" MODULAR + BROADLOOM



QUICK SHIP (TILE ONLY)
COLOR 2200
potter



QUICK SHIP (TILE ONLY)
COLOR 2204
painter



QUICK SHIP (TILE ONLY)
COLOR 3318
metalsmith



COLOR 2206 glassblower



QUICK SHIP (TILE ONLY)
COLOR 2201
weaver



COLOR 2198 mason



COLOR 3316 jeweler



QUICK SHIP (TILE ONLY)
COLOR 2207
tailor




COLOR 2202 woodworker



COLOR 2205 quilter



COLOR 3317



COLOR 2210 blacksmith

Chromatics 24"x24" MODULAR



COLOR 3320 arctic



COLOR 3323 moss



COLOR 3324 sapphire




color 3319 scarlet



COLOR 3321 ink



COLOR 3322 mulberry



15

FIBER

Encore® SD Ultima® Nylon

(with recycled content) is specifically engineered to maximize appearance retention with exceptional color, performance, sustainability, and practicality.

BACKINGS

Nexus® Modular products can be installed in a variety of ways and are performance engineered to be visually appealing. In addition, they are designed to accommodate your long-term flooring budget.

- » Manufactured in an ISO 14001 certified facility
- » Contains pre-consumer recycled content and contributes to LEED
- » Recyclable through the J+J Flooring's R4 Carpet Reclamation Program

PremierBac® Plus is standard on broadloom products and provides superior construction to ensure solid dimensional stability for broadloom carpets.

- » Stretch-in or glue-down installation
- » Manufactured in an ISO 14001 certified
- » Contains pre-consumer recycled content and contributes to LEED
- » Recyclable through the J+J Flooring R4 Carpet Reclamation Program

ADHESIVE

Commercialon® Premium Carpet Adhesive

is formulated for the most demanding interior carpet installations. It forms a powerful bond with stiff and heavy backed commercial carpets directly over approved substrates. It is quick setting, features antimicrobial protection and can be removed easily. This solvent free adhesive is also low in odor, meeting the low VOC emission criteria of the CRI Green Label Plus Indoor Air Quality. Commercialon Premium Adhesive is for use with broadloom PremierBac Plus, TitanBac® Plus and Endure Plus backings systems.

Commercialon® Premium Modular Adhesive

A high strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVC backed carpet to the floor. This premium adhesive is for use with all Nexus Modular Tile products. This adhesive is guaranteed for the life of the installation when used in accordance with the J+J Flooring Carpet Installation Handbook. Commercialon Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria, CRI ID# PSA-425402. Commercialon Premium Modular Adhesive is non toxic, has ultra-low odor and is antimicrobial in the dry state.

OPTIONAL:

TileTabs - High Tack Adhesive Tabs (modular only)

MOISTURE

Are high levels of moisture in your concrete slab causing issues with your project's floor covering? We can help.

- » Nexus® Modular Carpet with TileTabs – 99% RH
- » Cost-efficient
- » Long-term performance
- » Straightforward, easy-tounderstand warranty
- » Requires no special floor preparation

TECHNOLOGIES

ProTex® Anti-Soil Treatment

ProTex is a proprietary anti-soil treatment technology that is applied and bonded to the pile fiber to impede soiling and to improve cleanability. It is standard on all J+J Flooring products.

OPTIONAL:

ProSept® Antimicrobial Sentir® Advanced Odor-Blocking Technology

Warranty: Installed with TileTabs	Warranty: Installed with Commercialon® Premium Adhesive (non-prorated)	Warranty: Installed with any other adhesive	Max RH, pH: Installed without Commercialon® Premium Sealer	Max RH, pH: Installed with Commercialon® Premium Sealer
Lifetime	Lifetime	1 Year	90% RH, pH 9	99% RH, pH 11 (Tiletabs) 97% RH, pH 11 (Commercialon® Adhes







©2022 J+J Flooring Group, LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law. Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation.

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not J+J Flooring's responsibility.

STYLE	craftwork 6599 broadloom	craftwork 7099 modular	chromatics 7199 modular
CONSTRUCTION	tip-sheared patterned loop	tip-sheared patterned loop	tip-sheared patterned loop
FIBER TYPE	100% Encore® SD Ultima® Nylon	100% Encore® SD Ultima® Nylon	100% Encore® SD Ultima® Nylon
DYE METHOD	solution dyed	solution dyed	solution dyed
OUNCE WEIGHT	30.0 oz./sy (1017 grams/m²)	30.0 oz./sy (1017 grams/m²)	30.0 oz./sy (1017 grams/m²)
GAUGE	1/12 (4.72 rows/cm)	1/12 (4.72 rows/cm)	1/12 (4.72 rows/cm)
BACKING	PremierBac® Plus	Nexus® modular	Nexus® modular
SIZE	12' (3.66 m)	24" x 24" (61.0 cm x 61.0 cm)	24" x 24" (61.0 cm x 61.0 cm)
PATTERN REPEAT	72"W x 77.4"L (183 cm x 195 cm)	n/a	n/a
TOTAL THICKNESS (nominal average)	0.281 inches (0.71 cm)	0.312 inches (0.79 cm)	0.312 inches (0.79 cm)
SPECIAL TECHNOLOGY	ProTex® anti-soil treatment	ProTex® anti-soil treatment	ProTex® anti-soil treatment
OPTIONAL SPECIAL	Sentir® advanced odor blocking treatment	Sentir® advanced odor blocking treatment	Sentir® advanced odor blocking treatment
TECHNOLOGIES	ProSept® antimicrobial	ProSept® antimicrobial	ProSept® antimicrobial
PHYSICAL TESTING	flooring radiant panel (class 1)	flooring radiant panel (class 1)	flooring radiant panel (class 1)
	pill test – (passes)	pill test – (passes)	pill test – (passes)
	smoke density (less than 450 flaming)	smoke density (less than 450 flaming)	smoke density (less than 450 flaming)
	static generation (less than 3.5 kv)	static generation static generation (less than 3.5 kv)	
	ADA compliance (compliant for accessible routes)	ADA compliance (compliant for accessible routes)	ADA compliance (compliant for accessible routes)
FIBER WARRANTIES	lifetime fiber performance for wear	lifetime fiber performance for wear	lifetime fiber performance for wear
	lifetime fiber performance for static	lifetime fiber performance for static	lifetime fiber performance for static
	lifetime stain removal	lifetime stain removal	lifetime stain removal
	lifetime colorfastness to light and atmospheric contaminants	lifetime colorfastness to light and atmospheric contaminants	lifetime colorfastness to light and atmospheric contaminants
BACKING WARRANTIES	10 year for tuft bind strength (edge ravel, yarn pulls, zippering)	lifetime for tuft bind strength (edge ravel, yarn pulls, zippering)	lifetime for tuft bind strength (edge ravel, yarn pulls, zippering)
	10 year against delamination	lifetime against delamination	lifetime against delamination
		lifetime dimensional stability	lifetime dimensional stability

MODULAR INSTALLATION METHODS









brick

monolithic

1/4 turn



P.O. BOX 2207

DALTON, GA 30722

P 800 241 4586

F 706 275 4433

JJFLOORING.COM

FX8722M02

