# Mineral

MODULAR

# QUICK SHIP OPTIONS



# Mineral



## INSPIRATION

Inspired by the colors and textures of rocky glens and fretted terrains, Mineral offers a 24" x 24" modular product that brings a classic look to multiple decors. Designed to balance performance and aesthetics, the seven near-solid colorways (four quick ship) of muted mossy greens, heathered grays and hazy chestnuts coordinate beautifully across our product portfolio.





# Mineral 24" X 24" MODULAR



COLOR 1792

topaz

QUICK SHIP COLOR 1791 zircon



QUICK SHIP COLOR 1796 granite



<mark>QUICK SHIP</mark> Color 1797 celestine





COLOR 1793 olivine



QUICK SHIP COLOR 1795 quartz





COLOR 1798 graphite





### COORDINATES

Beyond the beauty of individual products, our flooring coordinates effortlessly across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs with tonal simplicity to create palettes that reflect the demands of each unique space.

1. MESA // 7500 // 3476 Desert // Modular
2. LEGEND // V5010 // 1059 Fiction // LVT
3. NATURALIST // 7572 // 3236 Sandstone //
4. MINERAL // 7027 // 1791 Zircon // Modular
5. PUT A CORK IN IT // 1830 // 2187 Decan
6. INTRINSIC // 6501 // 2719 Essential // Mo
7. VALLEY // 5501 + 7501 // 3476 Desert // B
8. POWER PLAY // V5019 + V5020 // 1083 In
9. AGAINST THE GRAIN // 1840 // 2825 Mil
10. HERBALIST // 7571 // 3236 Sandstone //
11. TEMPEST // 7481 // 3497 Gale Natural //
12. STRIA // 7585 // 2742 Pima // Modular

' Modular

nter // Kinetex

odular


roadloom + Modular

nformation // LVT

llet // Kinetex

Modular

' Modular



#### FIBER

**Encore**<sup>®</sup> **SD Nylon** (with recycled content) is specifically engineered to maximize appearance retention with exceptional color, performance, sustainability and practicality.

#### Encore<sup>®</sup> Nylon with ColorLoc<sup>®</sup> Plus

is manufactured to offer exceptional color, performance and appearance retention. Carpet using Encore nylon with ColorLoc Plus our patented stain resistant technology - is engineered to resist permanent staining and is backed by Lifetime Performance Warranties for stain resistance, colorfastness, color transfer,water bleed, bleach resistance and wear.

#### MOISTURE

Are high levels of moisture in your concrete slab causing issues with your project's floor covering? We can help.

- » Nexus<sup>®</sup> Modular Carpet with TileTabs – 99% RH
- » Cost-efficient
- » Long-term performance
- » Straightforward, easy-tounderstand warranty
- » Requires no special floor preparation

#### BACKINGS

**Nexus® Modular** products can be installed in a variety of ways and are performance engineered to be visually appealing. In addition, they are designed to accommodate your long-term flooring budget.

- » Manufactured in an ISO 14001 certified facility
- » Contains pre-consumer recycled content and contributes to LEED
- » Recyclable through the J+J Flooring's R4 Carpet Reclamation Program

#### TECHNOLOGIES

#### **ProTex® Anti-Soil Treatment** ProTex is a proprietary anti-soil treatment technology that is applied and bonded to the pile fiber to impede soiling and to improve cleanability. It is standard on all J+J Flooring products.

OPTIONAL:

**ProSept® Antimicrobial** Sentir<sup>®</sup> Advanced Odor-Blocking Technology

#### ADHESIVE

**Commercialon® Premium Modular Adhesive** 

is a high strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVC backed carpet to the floor. This premium adhesive is for use with all Nexus Modular Tile products. This adhesive is guaranteed for the lifetime of the installation when used in accordance with the J+J Flooring installation instructions. Commercialon<sup>®</sup> Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria, CRI ID# PSA-425402. Commercialon® PremiumModular Adhesive is non toxic, has ultra-low odor and is antimicrobial in the dry state.

#### OPTIONAL:

**Commercialon® High Moisture Adhesive** TileTabs - High Tack Adhesive Tabs

(modular only)

### STYLE

CONSTRUCTION

FIBER TYPE

DYE METHOD

OUNCE WEIGHT

GAUGE

SIZE

PATTERN REPEAT

TOTAL THICKNESS (nominal average)

SPECIAL TECHNOLOGY

OPTIONAL SPECIAL TECHNOLOGIES

PHYSICAL TESTING

#### FIBER WARRANTIES

BACKING WARRANTIES

MODULAR INSTALLATION METHODS

STRAIGHT-FORWARD WARRANTIES Warranty: Warranty: Warranty: Max RH, pH: Max RH, pH: Max RH, pH: Installed with Commercialon® Installed without Installed with Installed with Installed with Installed with TileTabs Premium Adhesive and any other adhesive Commercialon® Commercialon® Commercialon® Commercialon® High Moisture Adhesive Premium Sealer Premium Sealer High Moisture (non-prorated) Adhesive Lifetime Lifetime 1 Year 90% RH, pH 9 99% RH, pH 11 99% RH, pH12 (TileTabs) 97% RH, pH 11 (Commercialon® Adhesive)





©2023 J+J Flooring Group, LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law. Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation.

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not J+J Flooring's responsibility.

BACKING

mineral 7027 modular

level loop Encore<sup>®</sup> SD Nylon and Encore<sup>®</sup> Nylon with ColorLoc Plus solution / yarn dyed 22.0 oz./sy (746 grams/m2) 1/10 (3.94 rows/cm) Nexus<sup>®</sup> modular 24" x 24" (61 cm x 61 cm) n/a 0.28 inches (0.71 cm) ProTex<sup>®</sup> fluorochemicalt ProSept<sup>®</sup> antimicrobial Sentir<sup>®</sup> advanced odor blocking treatment flooring radiant panel (class 1) pill test – (passes) smoke density (less than 450 flaming)

static generation (less than 3.5 kv)

ADA compliance (compliant for accessible routes)

lifetime fiber performance for wear

lifetime fiber performance for static

lifetime stain removal

colorfastness to light and atmospheric contaminants

lifetime for tuft bind strength (edge ravel, yarn pulls, zippering) lifetime against delamination lifetime dimensional stability









ashlar

brick

monolithic quarter turn

MODULAR

QUICK SHIP OPTIONS



P.O. BOX 2207 DALTON, GA 30722 P 800 241 4586 F 706 275 4433 JJFLOORING.COM

carpet | lvt | kinetex

