

# One Good Turn Return the Favor




#### INSPIRATION


One Good Turn really does deserve another. Reflecting the design harmony of defined grids from One Good Turn, its new companion, Return the Favor, offers a larger, pixelated network of intersecting parallel lines in perfect color synchronicity. Tailored meets abstract in this tonal collaboration of complementing pattern and color that will deliver a beautiful, neutral foundation for work spaces.

















#### COORDINATES

- 1. ATMOSPHERIC // 7713 // 2312 Glazed // Modular
- 2. MAKE YOUR MARK // V5012 // 1063 Shadow // LVT
- 3. ANALOG MONO // 1822 // 1552 Correlate // Kinetex
- 4. DOWNTOWN // 1850 // 3150 Broadway // Kinetex
- 5. RETURN THE FAVOR // 7076 // 3331 Turn It Up // Modular
- 6. ONE GOOD TURN // 7075 // 3331 Turn It Up // Modular
- 7. WELL VERSED // 7072 // 2027 Blake // Modular
- 8. ORGANIC RAKU // 7062 // 2348 Flint // Modular
- 9. STORYLINE // 7589 // 3016 Context // Modular
- 10. MAKE YOUR MARK // V5012 // 1065 Charcoal // LVT
- 11. TWEED // 7083 // 2992 Flannel // Modular
- 12. TRI-PLEX II // 1852 // 2299 Dimensional // Kinetex



#### COORDINATES

- 1. TERRA FIRMA // 7958 // 2012 Scottie // Modular
- 2. SMOLDER // 7715 // 2480 Ash // Modular
- 3. FAIRWAY II // N117 + N9117 // 9925 Saw Grass // Modular + Broadloom
- 4. ORGANIC RAKU // 7062 // 2344 Silica // Modular
- 5. RETURN THE FAVOR // 7076 // 3330 Turn It On // Modular
- 6. ADAPT // 7602 // 3273 Light Beam // Modular
- 7. METAMORPHIC // 7717 // 2960 Feldspar // Modular
- 8. ONE GOOD TURN // 7075 // 3330 Turn It On // Modular
- 9. OBSIDIAN // 7718 // 2960 Feldspar // Modular
- 10. TIMELESS // V5011 // 1060 Inheritance // LVT
- 11. AGAINST THE GRAIN // 1840 // 2821 Bran // Kinetex

14



## One Good Turn

24"x24" MODULAR



COLOR 2464 turn the tide




COLOR 3330 turn it on



COLOR 3332 turn of the century



COLOR 2467 turn of events



COLOR 3331 turn it up



### Return the Favor

24"x24" MODULAR




COLOR 2464 turn the tide




COLOR 3330 turn it on



COLOR 3332 turn of the century



COLOR 2467 turn of events



COLOR 3331 turn it up



19

#### FIBER

#### Encore® SD Ultima® Nylon

(with recycled content) is specifically engineered to maximize appearance retention with exceptional color, performance, sustainability, and practicality.

#### BACKINGS

**Nexus® Modular** products can be installed in a variety of ways and are performance engineered to be visually appealing. In addition, they are designed to accommodate your long-term flooring budget.

- » Manufactured in an ISO 14001 certified facility
- » Contains pre-consumer recycled content and contributes to LEED
- » Recyclable through the J+J Flooring's R4 Carpet Reclamation Program

#### ADHESIVE

#### Commercialon® Premium Modular Adhesive

A high strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVC backed carpet to the floor. This premium adhesive is for use with all Nexus Modular Tile products. This adhesive is guaranteed for the lifetime of the installation when used in accordance with the J+J Flooring installation instructions. Commercialon® Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria, CRI ID# PSA-425402. Commercialon® Premium Modular Adhesive is non toxic, has ultra-low odor and is antimicrobial in the dry state.

#### OPTIONAL:

**TileTabs -** High Tack Adhesive Tabs (modular only)

#### MOISTURE

Are high levels of moisture in your concrete slab causing issues with your project's floor covering? We can help.

- » Nexus® Modular Carpet with TileTabs – 99% RH
- » Cost-efficient
- » Long-term performance
- » Straightforward, easy-tounderstand warranty
- » Requires no special floor preparation

#### TECHNOLOGIES

#### ProTex® Anti-Soil Treatment

ProTex is a proprietary anti-soil treatment technology that is applied and bonded to the pile fiber to impede soiling and to improve cleanability. It is standard on all J+J Flooring products.

#### OPTIONAL:

ProSept® Antimicrobial
Sentir® Advanced Odor-Blocking Technology

<b>Warranty:</b> Installed with TileTabs	Warranty: Installed with Commercialon® Premium Adhesive (non-prorated)	<b>Warranty:</b> Installed with any other adhesive	<b>Max RH, pH:</b> Installed without Commercialon <sup>®</sup> Premium Sealer	Max RH, pH: Installed with Commercialon® Premium Sealer
Lifetime	Lifetime	1 Year	90% RH, pH 9	99% RH, pH 11 (Tiletabs) 97% RH, pH 11 (Commercialon® Adh



18





©2021 J+J Flooring Group, LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law. Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation.

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not J+J Flooring's responsibility.

STYLE	one good turn 7075 modular	return the favor 7076 modular	
CONSTRUCTION	patterned loop	patterned loop	
FIBER TYPE	100% Encore® SD Ultima® Nylon	100% Encore® SD Ultima® Nylon	
DYE METHOD	solution dyed	solution dyed	
OUNCE WEIGHT	24 oz/sy (813.7 grams/m²)	24 oz/sy (813.7 grams/m²)	
GAUGE	1/12 (4.72 rows/cm)	1/12 (4.72 rows/cm)	
BACKING	Nexus® modular	Nexus® modular	
SIZE	24" x 24" (61 cm x 61 cm)	24" x 24" (61 cm x 61 cm)	
PATTERN REPEAT	n/a	n/a	
TOTAL THICKNESS (nominal average)	0.22 inches (0.55 cm)	0.25 inches (0.635 cm)	
SPECIAL TECHNOLOGY	ProTex® anti-soil treatment	ProTex® anti-soil treatment	
OPTIONAL SPECIAL TECHNOLOGIES	ProSept® antimicrobial	ProSept® antimicrobial	
	Sentir® advanced odor blocking treatment	Sentir® advanced odor blocking treatment	
PHYSICAL TESTING	flooring radiant panel (class 1)	flooring radiant panel (class 1)	
	pill test – (passes)	pill test – (passes)	
	smoke density (less than 450 flaming)	smoke density (less than 450 flaming)	
	static generation — (less than 3.5 kv)	static generation – (less than 3.5 kv)	
	ADA compliance (compliant for accessible routes)	ADA compliance (compliant for accessible routes)	
FIBER WARRANTY	lifetime fiber performance for wear	lifetime fiber performance for wear	
	lifetime fiber performance for static	lifetime fiber performance for static	
	lifetime stain removal	lifetime stain removal	
	lifetime colorfastness to light and atmospheric contaminants	lifetime colorfastness to light and atmospheric contaminants	
BACKING WARRANTY	lifetime dimensional stability	lifetime dimensional stability	
	lifetime for tuft bind strength (edge ravel, yarn pulls)	lifetime for tuft bind strength (edge ravel, yarn pulls)	
	lifetime against delamination	lifetime against delamination	
	Please visit jjflooring.com for full warranty details.	Please visit jjflooring.com for full warranty details.	

### MODULAR INSTALLATION METHODS









ashlar

brick

monolithic quarter turn



P.O. BOX 2207

DALTON, GA 30722

P 800 241 4586

F 706 275 4433

JJFLOORING.COM

MX9921M05