



LVT









For more than 60 years J+J Flooring Group has crafted intelligent and beautiful commercial flooring for diverse applications. As a division of Engineered Floors, we have proudly grown to be the third largest flooring company in North America. We engineer all of our flooring products with a steadfast commitment to design, quality, service, integrity and sustainability.



carpet | lvt | kinetex

(front cover) **Framework** LVT *Partition*, ashlar and **Craftwork** modular carpet *Glassblower*, brick.  
(left) **Framework** *Pier* and *Partition*, herringbone.  
(back cover) **Classics** *Partition*, ashlar.

## HOLISTIC SOLUTIONS

J+J Flooring Group provides innovative flooring solutions based on the unique challenges of your project. Depending on your aesthetic and performance needs, J+J offers the most versatile combination of commercial products in the industry. Our portfolio is designed to solve your specification priorities, such as:

- budget
- delivery
- performance
- maintenance requirements
- sustainability
- acoustics
- comfort and safety

J+J Flooring Group's product offerings include broadloom and modular carpets and Kinetex, an award-winning textile composite flooring. To provide even more choices and total product solutions, J+J offers some of the most advanced LVT products in the market.

[right] Classics LVT *Paradigm*, 1/8 drop with Kinetex *Analog Connect*, monolithic.















Our leading edge LVT collections, *Classics* and *Framework*, were thoughtfully selected to coordinate with J+J carpet and Kinetex products. They can also make a strong design statement all on their own for any project application.

(left) *Classics* LVT *Paradigm*, 1/3 drop with **Meadow** modular carpet *Harmonic*, monolithic inset.



# CLASSICS

The Classics Collection is a grouping of durable and affordable LVT. These products can easily pair with both new and existing interiors for a seamless aesthetic. With a 3mm thickness and popular color options, Classics products make LVT selection easy.

- 9" x 48" demi-plank
- 10 colors
- Quick Ship Selections Available

(top) Classics Heirloom, herringbone  
(right) Classics Venerable and Paradigm combo, 1/3 drop.














## CLASSICS V5000



**Quick Ship** color 1000  
notable




color 1001  
archetype



color 1002  
established



**Quick Ship** color 1003  
heirloom



color 1004  
exemplar




color 1005  
venerable



color 1006  
legacy



color 1007  
curio



**Quick Ship** color 1008  
paradigm



**Quick Ship** color 1009  
heritage

(left) Classics *Notable* combo, 1/3 drop.



## FRAMEWORK

The innovative, modern designs of the Framework Collection take traditional LVT to the next level. Framework products make a truly beautiful installation and are designed to work seamlessly with both J+J modular carpet and Kinetex products. With a 5mm thickness, Framework products transition to these complementing flooring types without the need of a transition strip. In addition to these characteristics, Framework offers some unique advantages:

- Loose lay installation option with perimeter glue
- High Impact Insulation Classification (IIC) rating for reduction in noise levels
- 9" x 48" demi-plank
- Fiberglass reinforcement layer

[right] Framework *Pier* and *Partition* combo.  
[page 13] Framework *Partition*, 1/3 drop.













FRAMEWORK V5001



color 1010  
pier



color 1011  
header



color 1012  
anchor



color 1013  
brace



color 1014  
partition



color 1015  
beam

(left) Framework *Beam* and *Partition* combo, 1/3 drop.  
(page 16 & 17) Classics *Paradigm*, ashlar.



## SUPERIOR BEAUTY

Both Classics and Framework products are offered in a unique 9" x 48" demi-plank format for beautiful installation options, an expansive pattern replication and fewer seams. While Classics features a traditional 3mm thickness and Framework offers a progressive 5mm thickness, every product is manufactured using advanced 3D print techniques and texturized wear layers for discerning detail and realistic wood-inspired visuals.

## COMMAND PERFORMANCE

When it comes to performance, J+J LVT delivers with true, 20-mil commercial wear layer products and a full 10-year commercial warranty. In addition to the durable wear layer, our LVT includes a ceramic bead which is added to the ultraviolet cured urethane clear coat for additional wearability and scratch resistance.

And when installing J+J LVT with carpet, there is no need to worry about multiple adhesives. We have formulated one adhesive to provide a strong and dependable installation for both J+J modular carpet and LVT.

For heavy rolling traffic, J+J LVT features the option to wet-set the installation, allowing for a strong and stable adherence and eliminating the need for two-part epoxy.













## SUSTAINABLY SOUND

J+J believes true sustainability requires full attention to the potential impacts of every aspect of our business. In accordance with our mission of waste reduction, all J+J LVT products are 100% recyclable with up to 25% post-industrial recycled content - a true, safe and reliable stream derived from the manufacturing process.

You can rest assured that health is also a top priority and all J+J LVT products are FloorScore Certified.



## GREEN CIRCLE - ZERO WASTE TO LANDFILL OPERATIONS CERTIFICATION



We are proudly certified as Zero Waste to Landfill manufacturer by GreenCircle Certified, LLC., a prominent third-party certifier of environmental claims. We are the first commercial flooring manufacturer in the United States to achieve this landfill free status and the first company in the industry to have its waste diversion efforts audited and verified by a recognized, third-party certifier.

To learn more about zero waste or our other initiatives see our sustainability progress report online at [jjflooringgroup.com/sustainability](http://jjflooringgroup.com/sustainability)



We're on it.  
The J+J Flooring Group Premium Customer Experience.

Our Premium Customer Experience is a carefully crafted process by which we guarantee that our customers will get the products, services and the reliability they expect from us.

To learn more visit [jjflooringgroup.com/about/cx](http://jjflooringgroup.com/about/cx)

[left] *Classics Established*, herringbone.

[Page 20] *Framework Pier*, herringbone with *Craftwork* modular carpet *Quilter*, monolithic.







CLASSICS V5000



**Quick Ship** color 1000  
notable



color 1001  
archetype



color 1002  
established



**Quick Ship** color 1003  
heirloom



color 1004  
exemplar



color 1005  
venerable



color 1006  
legacy



color 1007  
curio



**Quick Ship** color 1008  
paradigm



**Quick Ship** color 1009  
heritage

FRAMEWORK V5001



color 1010  
pier



color 1011  
header



color 1012  
anchor



color 1013  
brace



color 1014  
partition



color 1015  
beam



CLASSICS V5000

Thickness	3mm
Wear Layer	20mil
Finish / Coating	Enhanced UV Urethane w/ Ceramic Bead
Nominal Dimensions (inches)	9" x 48"
Pattern Repeat	Random Wood pattern
Micro-Beveled	Yes
Class / ASTM F1700	Class III Printed Film Vinyl Plank Type B (embossed)
Backing Class	Commercial Grade
Gloss Level (if known)	Matte Finish
Commercial Traffic	Heavy Commercial
FloorScore Certified (Y/N)	Yes

PERFORMANCE

Size and Tolerance	ASTM F2055	Passes
Thickness	ASTM F386	Passes Max. 0.010 in.
Squareness	ASTM F2055	Passes
Residual Indentation	ASTM F1914	Passes
Flexibility	ASTM F137	Passes 6mm Mandrel
Dimensional Stability	ASTM F2199	Passes
Chemical Resistance	ASTM F925	Passes
Resistance to Heat	ASTM F1514	Passes
Resistance to Light	ASTM F1515	Passes
Critical Radiant Flux	ASTM E648	Class 1 (< 0.45 W/cm2)
Optical Smoke Density	ASTM E662	Passes < 450
Slip Resistance	ASTM C1028	Passes ADA Compliant (> 0.50)
Static Load	ASTM F970	1000 psi

PACKAGING

Square feet per plank	3.00
Square feet per carton	39.07
Square feet per pallet	1,248
Square feet per container	36.573 / 20 foot container
Weight per plank/tile (lbs/plank)	3.06
Weight per pallet (lbs)	2,114
Pieces per box	13
Boxes per pallet	52

TECHNICAL INFORMATION

Product Warranty	10 yr Commercial Warranty
Required Adhesive	J+J LVT Adhesive
Installation Method	Full Spread




1/3 drop



ashlar



herringbone



- 1 Protective UV Cured Urethane with Ceramic Bead
- 2 20mil Wear Layer
- 3 High Definition Print Film
- 4 Impact Resistant Core Layer
- 5 Foundational Base Layer

ENVIRONMENTAL

Indoor Air Quality	FloorScore® Certified
LEED v4	Contributes to IAQ: Low Emitting Materials
End of Life	100% Recyclable

©2017 J&J Flooring Group, LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.

These photographs are representations of the installation for this product. Your installation may look different than these photos depending upon individual placement, lighting, and overall space layout, including furnishings. Final placement and the resulting visual is thus the customer's, and not J+J Flooring Group's responsibility.





FRAMEWORK V5001

Thickness	5mm
Wear Layer	20mil
Glass Fiber	Yes
Finish / Coating	Enhanced UV Urethane w/ Ceramic Bead
Nominal Dimensions (inches)	9" x 48"
Pattern Repeat	Random Wood pattern
Micro-Beveled	No
Class / ASTM F1700	Class III Printed Film Vinyl Plank - Type B (embossed)
Backing Class	Commercial Grade
Gloss Level	Matte Finish
Commercial Traffic	Heavy Commercial
FloorScore Certified	Yes

PERFORMANCE

Size and Tolerance	ASTM F2055	Passes
Thickness	ASTM F386	Passes Max. 0.010 in.
Squareness	ASTM F2055	Passes
Residual Indentation	ASTM F1914	Passes
Flexibility	ASTM F137	Passes
Dimensional Stability	ASTM F2199	Passes
Chemical Resistance	ASTM F925	Passes
Resistance to Heat	ASTM F1514	Passes
Resistance to Light	ASTM F1515	Passes
Critical Radiant Flux	ASTM E648	Class 1 (< 0.45 W/cm2)
Optical Smoke Density	ASTM E662	Passes < 450
Slip Resistance	ASTM C1028	Passes ADA Compliant (> 0.50)
Static Load	ASTM F970	750 psi

PACKAGING

Square feet per plank	3.00
Square feet per carton	24
Square feet per pallet	1,248
Square feet per container	19,971 / 20 foot container
Weight per plank/tile (lbs/plank)	5.53
Weight per pallet (lbs)	2,342
Pieces per box	8
Boxes per pallet	52

TECHNICAL INFORMATION

Product Warranty	10 yr Commercial Warranty
Required Adhesive	J+J LVT Adhesive
Installation Method	Full Spread or Loose Lay with Perimeter Glue



1/3 drop



ashlar



herringbone



- 1 Protective UV Cured Urethane with Ceramic Bead
- 2 20mil Wear Layer
- 3 High Definition Print Film
- 4 Impact Resistant Core Layer
- 5 Fiberglass Reinforcement layer
- 6 Foundational Base Layer

ENVIRONMENTAL

Materials	Phthalates Free
Indoor Air Quality	FloorScore® Certified
LEED v4	Contributes to IAQ: Low Emitting Materials
End of Life	100% Recyclable

©2017 J&J Flooring Group, LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.

These photographs are representations of the installation for this product. Your installation may look different than these photos depending upon individual placement, lighting, and overall space layout, including furnishings. Final placement and the resulting visual is thus the customer's, and not J+J Flooring Group's responsibility.







## FLOORING GROUP

---

J+J Flooring Group knows that each project is unique, and every floor covering specification takes all requirements into consideration. Whether you need the latest LVT products available, inspired broadloom and modular carpet, or a groundbreaking textile composite flooring only offered by J+J, we have the most diverse choices in the industry. Most likely, your project requires multiple product types, formats and design considerations, and with the addition of LVT, J+J has you covered – every time.

---

**carpet | lvt | kinetex**

[jjflooringgroup.com](http://jjflooringgroup.com)

P.O. Box 1287 • Dalton, GA 30722  
p 800 241 4586 f 706 275 4433

A Division of **Engineered  
FLOORS**