


Elemental Reveal



INSPIRATION

The peels of time from layers of paint on wood and masonry hint at a history concealed beneath. Embracing these weathered and contrasting imperfections, Elemental and Reveal unveil their own unrefined beauty of distressed patterning and texture. Elemental is a softly etched motif of muted tone-on-tones. Reveal mimics fragmented shards of pigment, scraped away, revealing layers of shades and texture just beneath the surface. Elemental and Reveal create a new dynamic for work spaces with a perfect balance of subdued and earthy colorways in 24"x24" tiles.















COORDINATES

Beyond the beauty of individual products, our flooring coordinates effortlessly across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs with tonal simplicity to create palettes that reflect the demands of each unique space.

- 1. **NETWORK** // 1842 // #2853 Cyber // Kinetex
- 2. FRAMEWORK // V5001 // #1014 Partition // LVT
- 3. STRIA // 7585 // #2743 Knit // Modular
- 4. REVERIE // 7684 // #2616 Chalk // Modular
- 5. CRAFTWORK // 7099 + 6599 // #2204 Painter // Modular + Broadloom

- 6. REVEAL // 7685 // #2638 Steel // Modular
- 7. ADVANCE // 7600 // #3273 Light Beam // Modular
- 8. ELEMENTAL // 7683 // #2638 Steel // Modular
- 9. ADJUST // 7601 // #3273 Light Beam // Modular
- 10. TRI-PLEX II // 1852 // #2295 Musketeers // Kinetex

ELEMENTAL // COMPONENT // monolithic

Elemental 24"x24" MODULAR




COLOR 2635

COLOR 2632

COLOR 2753

composite

heritage







COLOR 2634 hutch





QUICK SHIP COLOR 2636 pipes



COLOR 2754 aspect



QUICK SHIP COLOR 2639 galvanized



COLOR 2755 component



QUICK SHIP COLOR 2756



COLOR 2757 castor



COLOR 2758 draftsman



COLOR 2627 weathered



COLOR 2629 beam



COLOR 2630



COLOR 2640 hardware

Reveal 24"x24" MODULAR



COLOR 2635 raw



QUICK SHIP COLOR 2638 steel



COLOR 2755 component



COLOR 2627 weathered



COLOR 2632 heritage



QUICK SHIP COLOR 2636 pipes



QUICK SHIP COLOR 2756 facet



COLOR 2629 beam



COLOR 2753 composite



COLOR 2754 aspect



COLOR 2757 castor



COLOR 2630 tailor



COLOR 2634 hutch




QUICK SHIP COLOR 2639 galvanized



COLOR 2758 draftsman



COLOR 2640 hardware



FIBER

Encore® SD Ultima® Nylon

(with recycled content) is specifically engineered to maximize appearance retention with exceptional color, performance, sustainability, and practicality.

FIBER OPTION

Encore® 100

The high recycled content incorporated into Encore 100 nylon provides a reduced environmental impact without compromising quality or color clarity.

- » 100% post-industrial (pre-consumer) recycled
- » Full inclusion into the J&J Flooring Reclamation Program
- » Lifetime warranty for stain removal, colorfastness, wear and static
- » See sales rep for for availability and price

MOISTURE

Are high levels of moisture in your concrete slab causing issues with your project's floor covering? We can help.

- » Nexus® Modular Carpet with TileTabs 99% RH
- » Cost-efficient
- » Long-term performance
- » Straightforward, easy-to-understand warranty
- » Requires no special floor preparation

STANDARD BACKING

Nexus® Modular products can be installed in a variety of ways and are performance engineered to be visually appealing. In addition, they are designed to accommodate your long-term flooring budget.

- » Contains pre-consumer recycled content and contributes to LEED and other sustainable building standards
- » Eligible for landfill diversion through the J+J Flooring Reclamation Program

OPTIONAL BACKING:

Advance Modular Carpet Backing™

is engineered to provide outstanding performance, protection and stability that is required of modular carpet systems.

- » PVC-Free
- » Contains recycled content and contributes to LEED
- » Eligible for landfill diversion through the J+J Flooring Reclamation Program

OTHER BACKING OPTIONS:

Nexus® Cushion
Nexus® FC Cushion



Scan QR Code for backing details

TECHNOLOGIES

ProTex® Anti-Soil Treatment

ProTex is a proprietary anti-soil treatment technology that is applied and bonded to the pile fiber to impede soiling and to improve cleanability. It is standard on all J+J Flooring products.

OPTIONAL:

ProSept® Antimicrobial
Sentir® Advanced Odor-Blocking Technology

ADHESIVE

Commercialon® Premium Modular Adhesive

A high strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVC backed carpet to the floor. This premium adhesive is for use with all Nexus Modular Tile products. This adhesive is guaranteed for the life of the installation when used in accordance with the J+J Flooring Carpet Installation Handbook. Commercialon Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria, CRI ID# PSA-425402. Commercialon

Premium Modular Adhesive is non toxic, has ultra-low odor and is antimicrobial in the dry state.

OPTIONAL:

TileTabs - High Tack Adhesive Tabs (modular only)

STRAIGHT-FORWARD WARRANTIES

Warranty: Installed with TileTabs	Warranty: Installed with Commercialon® Premium Adhesive (non-prorated)	Warranty: Installed with any other adhesive	Max RH, pH: Installed without Commercialon® Premium Sealer	Max RH, pH: Installed with Commercialon® Premium Sealer
Lifetime	Lifetime	1 Year	90% RH, pH 9 (Nexus Modular & LVT Adhesive) 95% RH, pH 11 (Advance Modular / RH+ Adhesive)	99% RH, pH 11 (Tile Tabs) 97% RH, pH 11 (Commercialon Adhesive)







©2025 J+J Flooring Group, LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law. Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation.

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not J+J Flooring's responsibility.

STYLE	elemental 7683 modular	reveal 7685 modular	
CONSTRUCTION	tip sheared patterned loop	patterned loop	
FIBER TYPE	100% Encore® SD Ultima® nylon	100% Encore® SD Ultima® nylon	
FIBER OPTION	Encore® 100	Encore® 100	
DYE METHOD	solution dyed	solution dyed	
OUNCE WEIGHT	18.0 oz./sy (610 grams/m²)	19.0 oz./sy (644 grams/m²)	
GAUGE	1/12 (4.72 rows/cm)	1/12 (4.72 rows/cm)	
STANDARD BACKING	Nexus® Modular	Nexus® Modular	
OPTIONAL BACKING	Advance Modular	Advance Modular	
SIZE	24" x 24" (61.0 cm X 61.0 cm)	24" x 24" (61.0 cm X 61.0 cm)	
PATTERN REPEAT	n/a	n/a	
TOTAL THICKNESS (nominal average)	0.25 inches (0.635 cm)	0.22 inches (0.56 cm)	
SPECIAL TECHNOLOGY	ProTex® anti-soil treatment	ProTex® anti-soil treatment	
OPTIONAL SPECIAL TECHNOLOGIES	ProSept® antimicrobial	ProSept® antimicrobial	
	Sentir® advanced odor blocking treatment	Sentir® advanced odor blocking treatment	
PHYSICAL TESTING	flooring radiant panel (class 1)	flooring radiant panel (class 1)	
	pill test – (passes)	pill test – (passes)	
	smoke density (less than 450 flaming)	smoke density (less than 450 flaming)	
	static generation -(less than 3.5 kv)	static generation -(less than 3.5 kv)	
	ADA compliance (compliant for accessible routes)	ADA compliance (compliant for accessible routes)	
FIBER WARRANTY	lifetime fiber performance for wear	lifetime fiber performance for wear	
	lifetime fiber performance for static	lifetime fiber performance for static	
	lifetime stain removal	lifetime stain removal	
	lifetime colorfastness to light and atmospheric contaminants	lifetime colorfastness to light and atmospheric contaminants	
BACKING WARRANTY	lifetime for tuft bind strength	lifetime for tuft bind strength	

MODULAR INSTALLATION METHODS





(edge ravel, yarn pulls, zippering)

lifetime against delamination

lifetime dimensional stability





(edge ravel, yarn pulls, zippering)

19

lifetime against delamination

lifetime dimensional stability

ashlar

hrick

monolithic a

quarter turn



P.O. BOX 2207

DALTON, GA 30722

P 800 241 4586

F 706 275 4433

JJFLOORING.COM

JX2221M07