

Fusion Alloy



Fusion Alloy



INSPIRATION

When colors blend naturally across a weathered plank, the result is both timeless and contemporary. Fusion and Alloy capture this subtle artistry with a unique ombre effect that flows across each individual plank. From Fusion's refined appeal in light commercial spaces to Alloy's proven durability in high-traffic environments, these collections balance classic hardwood character with modern performance. Available in five carefully curated colors, in 9" x 48" planks.



(cover) ALLOY // BLEND // ashlar
(right) FUSION // COMPOUND // 1/2 drop





ALLOY // UNION // herringbone

Fusion + Alloy 9" x 48" LVT



COLOR 1050
union



COLOR 1051
blend



COLOR 1052
compound



COLOR 1053
intermixture



COLOR 1054
melting



FUSION // MELTING // ashlar
(back over) ALLOY // MELTING // ashlar



COORDINATES

Beyond the beauty of individual products, our flooring coordinates effortlessly across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs with tonal simplicity to create palettes that reflect the demands of each unique space.

1. STEP BY STEP // V5043 // 1128 Natural // LVT

2. CLASSICS II // V5023 // 1087 Ideal // LVT

3. MIXED MEDIA // V5045 // 1140 Elements // LVT

4. TIMBER // 1825 // 1924 Catalpa // Kinetex

5. EXPERIMENT // 7805 // 3731 Unit 2A // Modular

6. FUSION // V5006 // 1054 Melting // LVT

7. MOIRE // 1862 // 112 Speedup // Kinetex

8. EBB // 7722 // 3760 Pecan // Modular

9. PROPEL II // 1817 // 1704 Shunt // Kinetex

10. FLOW // 7512 // 3760 Pecan // Modular

SUSTAINABLY SOUND

J+J Flooring believes true sustainability requires full attention to the potential impacts of every aspect of our business. In accordance with our mission of waste reduction, J+J LVT products are 100% recyclable. You can rest assured that health is also a top priority and all J+J Flooring LVT products are FloorScore Certified.



MOISTURE

Are high levels of moisture in your concrete slab causing issues with your project’s floor covering? We can help.

- » Cost-efficient
- » Long-term performance
- » Requires no special floor preparation


Installed without Commercialon® Premium Sealer	90% RH, pH 9
Installed with Commercialon® Premium Sealer	99% RH, pH 11 (Tiletabs, 5mm) 97% RH, pH 11 Commercialon Adhesive (2.5mm, 3mm)

ZPT ANTI-MICROBIAL TREATMENT

J+J Flooring LVT features a standard enhancement of ZPT (Zinc Protective Technology) anti-microbial. Dispersed into the product during the manufacturing process, ZPT anti-microbial prevents unpleasant odors, degradation and discoloration as a result of microbial contamination. ZPT contains Zinc Pyrithione as the main ingredient with no harmful additives. Zinc Pyrithione is a common dandruff shampoo ingredient and proven to be safe in both household and commercial use. ZPT anti-microbial technology guarantees your J+J Flooring LVT will provide a beautiful, long lasting and safe floor covering for years to come.

COMMERCIALON® PREMIUM ADHESIVE FOR MODULAR CARPET AND LVT

A high strength acrylic latex-based adhesive specifically formulated for bonding modular PVC backed carpet and LVT to the floor. This premium adhesive is for use with all Nexus Modular Tile and LVT products. This adhesive is guaranteed for the life of the installation when used in accordance with the J+J Flooring LVT Installation Handbook. Commercialon Premium Adhesive for Modular Carpet and LVT meets the CRI Low-VOC Emission Criteria, CRI ID# PSA-425402. Commercialon Premium Adhesive is non toxic, has ultra-low odor and is antimicrobial in the dry state.



- 1 Protective UV Cured Urethane with Ceramic Bead
- 2 Wear Layer
- 3 High Definition Print Film
- 4 Impact Resistant Core Layer
- 5 Foundational Base Layer

WARRANTIES

We stand behind every aspect of our LVT. Each warranty is covered for 15 years, provided that installation and maintenance is in accordance with J+J Flooring’s LVT Installation instructions.

Installed with Commercialon® Premium Adhesive (non-prorated)	Installed with any other adhesive
15 years (20 mil only) 7 years (12 mil only)	1 Year

STYLE	fusion V5006	alloy V5008
THICKNESS	2.5 mm	3mm
WEAR LAYER	12 mil	20 mil
FINISH / COATING	enhanced UV urethane w/ ceramic bead	enhanced UV urethane w/ceramic bead
NOMINAL DIMENSIONS (INCHES)	9” x 48”	9” x 48”
PATTERN REPEAT	random	random
MICRO BEVELED	no	no
CLASS / ASTM F1700	class III printed film vinyl plank - type B embossed	class III printed film vinyl plank - type B embossed
ANTIMICROBIAL	ZPT (zinc protective technology)	ZPT (zinc protective technology)
SQUARE FEET PER PLANK / TILE	3.0	3.0
SQUARE FEET PER CARTON	48	39
PRODUCT WARRANTY	7 year light commercial warranty	15 year commercial warranty
REQUIRED ADHESIVE(S)	Commercialon® LVT adhesive	Commercialon® LVT adhesive

MODULAR INSTALLATION METHODS



½ drop



ashlar



herringbone

©2025 J+J Flooring Group, LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.

Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation.

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer’s, and not J+J Flooring’s responsibility.





P.O. BOX 2207
DALTON, GA 30722
P 800 241 4586
F 706 275 4433
JJFLOORING.COM

carpet | lvt | kinetex