

HPD UNIQUE IDENTIFIER: 30347

CLASSIFICATION: 09 68 13 Tile Carpeting

PRODUCT DESCRIPTION: J+J Flooring's broad range of modular carpet designs paired with our Nexus cushion modular backing, provides you with higher performance and appealing design. Nexus is engineered to provide outstanding performance, protection and stability that is required of modular carpet systems.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<b>Inventory Reporting Format</b>	<b>Threshold Level</b>	<b>Residuals/Impurities Evaluation</b>	<i>For all contents above the threshold, the manufacturer has:</i>
<input type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	<input checked="" type="radio"/> Completed	<b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	<input type="radio"/> Partially Completed	<i>Provided weight and role.</i>
<b>Threshold Disclosed Per</b>	<input type="radio"/> Per GHS SDS	<input type="radio"/> Not Completed	<b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	<b>Explanation(s) provided :</b>	<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	<b>Identified</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

J+J FLOORING - NEXUS CUSHION [ POLYURETHANE FOAMS LT-UNK  
CALCIUM CARBONATE BM-3 | EYE | NYLON 6 LT-UNK ]  
ALUMINUM HYDROXIDE BM-2 | SKI | EYE | CALCIUM CARBONATE  
BM-3dg GLASS, OXIDE, CHEMICALS LT-UNK | POLYPROPYLENE LT-  
P1 | BUTYL ACRYLATE/STYRENE COPOLYMER LT-UNK ]  
POLYETHYLENE TEREPHTHALATE LT-P1 | CARBON BLACK BM-1 |  
CAN | EYE | MAM SULFONIC ACIDS, C14-16-ALKANE HYDROXY  
AND C14-16-ALKENE, SODIUM SALTS LT-UNK | SKI | EYE | REP | AQU  
WATER BM-4 CAPROLACTAM LT-UNK | SKI | EYE | MAM | REP ]

Number of Greenscreen BM-4/BM3 contents ... 3

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...  
LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CRI Green Label Plus

Multi-attribute: NSF/ANSI 140-2015 Sustainability Assessment for Carpet Standard

LCA: Environmental Product Declaration (EPD) by NSF

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-09-09

PUBLISHED DATE: 2022-10-26

EXPIRY DATE: 2025-09-09

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### J+J FLOORING - NEXUS CUSHION

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered and those that fall above threshold are included.

OTHER PRODUCT NOTES:

#### POLYURETHANE FOAMS

ID: 9009-54-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-09-09 14:31:04

#: 30.0000 - 35.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

AGENCY

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

#### CALCIUM CARBONATE

ID: 471-34-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-09-09 14:31:05

#: 20.0000 - 25.0000 GreenScreen: BM-3 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

EYE

GHS - New Zealand

Eye irritation category 2

EC - CEPA DSL

Persistent

ADDITIONAL LISTINGS

AGENCY

NOTIFICATION

POSITIVE LIST

US Environmental Protection Agency (US EPA)

US EPA - DfE SCIL

Green Circle - Verified Low Concern

SUBSTANCE NOTES:

#### NYLON 6

ID: 25038-54-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-09-09 14:31:06

#: 10.0000 - 15.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	EC - CEPA DSL	Persistent
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

### ALUMINUM HYDROXIDE

ID: 21645-51-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-09 14:31:07**

%: **5.0000 - 10.0000** GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
	EC - CEPA DSL	Persistent
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
SUBSTANCE NOTES:		

### CALCIUM CARBONATE

ID: 1317-65-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-09 14:31:07**

%: **5.0000 - 10.0000** GreenScreen: **BM-3dg** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL  Green Circle - Verified Low Concern
SUBSTANCE NOTES:		

### GLASS, OXIDE, CHEMICALS

ID: 65997-17-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-09 14:31:08**

#: 5.0000 - 10.0000

GreenScreen: **LT-UNK**

RC: **PostC**

NANO: **No**

SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	EC - CEPA DSL	Persistent
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern

SUBSTANCE NOTES: Recycled content comprises ground post-consumer glass.

**POLYPROPYLENE**

ID: **9003-07-0**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-09 14:31:09**

#: 0.0000 - 5.0000

GreenScreen: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	EC - CEPA DSL	Persistent
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern

SUBSTANCE NOTES:

**BUTYL ACRYLATE/STYRENE COPOLYMER**

ID: **25767-47-9**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-09 14:31:10**

#: 0.0000 - 5.0000

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	EC - CEPA DSL	Persistent
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

**POLYETHYLENE TEREPHTHALATE**

ID: **25038-59-9**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-09 14:31:11**

#: 0.0000 - 5.0000

GreenScreen: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	EC - CEPA DSL	Persistent
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

**CARBON BLACK**

ID: 1333-86-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-09 14:31:12**

%: **0.0000 - 1.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
EYE	GHS - New Zealand	Eye irritation category 2
	EC - CEPA DSL	Persistent
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

**SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16-ALKENE, SODIUM SALTS**

ID: 68439-57-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-09 14:31:12**

%: **0.0000 - 1.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL  Green Circle - Verified Low Concern

SUBSTANCE NOTES:

## WATER

ID: 7732-18-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-09 14:31:13**

%: **0.0000 - 1.0000** GreenScreen: **BM-4** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions  Exempted from REACH Annex IV listing due to intrinsic safety
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL  Green Circle - Verified Low Concern

SUBSTANCE NOTES:

## CAPROLACTAM

ID: 105-60-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-09 14:31:14**

%: **0.0000 - 1.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	CRI Green Label Plus	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2004-03-29	CERTIFIER OR LAB: Carpet and Rug Institute
APPLICABLE FACILITIES: All	EXPIRY DATE: 2022-12-31	
CERTIFICATE URL: <a href="https://site.carpet-rug.org/GLPCompanyProducts?cat=all&amp;account=1316">https://site.carpet-rug.org/GLPCompanyProducts?cat=all&amp;account=1316</a>		
CERTIFICATION AND COMPLIANCE NOTES: GLP7878		

MULTI-ATTRIBUTE	NSF/ANSI 140-2015 Sustainability Assessment for Carpet Standard	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2022-09-09	CERTIFIER OR LAB: NSF Certification, LLC
APPLICABLE FACILITIES: All	EXPIRY DATE: 2025-12-31	
CERTIFICATE URL: <a href="https://info.nsf.org/Certified/Sustain/Listings.asp?Company=C0000141&amp;Standard=140">https://info.nsf.org/Certified/Sustain/Listings.asp?Company=C0000141&amp;Standard=140</a>		
CERTIFICATION AND COMPLIANCE NOTES: C0434141-101, Gold Certified		

LCA	Environmental Product Declaration (EPD) by NSF	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2022-10-25	CERTIFIER OR LAB: EcoForm
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL: <a href="https://info.nsf.org/Certified/Sustain/Listings.asp?Company=C0000141&amp;Standard=EPD">https://info.nsf.org/Certified/Sustain/Listings.asp?Company=C0000141&amp;Standard=EPD</a>		
CERTIFICATION AND COMPLIANCE NOTES:		

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### COMMERCIALON® PREMIUM MODULAR CARPET ADHESIVE

MANUFACTURER (OR GENERIC): XL Brands LLC

HPD URL: No HPD Available  
ACCESSORY TYPE: Adhesive  
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: It is recommended that the installation of carpet be accomplished through the use of Commercialon® Premium Modular Carpet Adhesive. Full instructions regarding installation of carpet are provided at: <https://www.jjflooringgroup.com/technical/adhesives/>

## Section 5: General Notes



**MANUFACTURER INFORMATION**

**MANUFACTURER:** Engineered Floors  
**ADDRESS:** 818 J&J Drive  
**P.O. Box** 1287  
**Dalton GA 30722, United States**  
**WEBSITE:** <https://www.jjflooringgroup.com>

**CONTACT NAME:** Brandon Kersey  
**TITLE:** Director of Business Development  
**PHONE:** 7065292100  
**EMAIL:** [Brandon.Kersey@engineeredfloors.com](mailto:Brandon.Kersey@engineeredfloors.com)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this*

