

LEGACY COLLECTION

Classics II  
Signature II  
Timeless II




LEGACY COLLECTION

# Classics II

# Signature II

# Timeless II



## INSPIRATION

Legacy is a curated flooring collection that brings together beautiful aesthetics along with purposeful, functional design. From the grainy, knotted hardwoods that feature rich walnut, oak and ebony hues - to the softwoods with subtle, understated woodgrains of cedar and pine, this collection offers an organic foundational element that is timeless and enduring. Available in 12 colorways in three thicknesses: Signature II - 2.5mm / 12 mil; Classics II - 3mm/ 20 mil and Timeless II- 5mm/20 mil. Designed with intention, these three popular styles will complement a variety of design styles in workplace environments.



[cover] CLASSICS II // NOTABLE // ashlar  
[above] TIMELESS II // PARADIGM // ashlar



SIGNATURE II // IDEAL // ashlar



TIMELESS II // VALUE // ashlar

## Classics II | Signature II | Timeless II

9" x 48" MODULAR



COLOR 1000  
notable



COLOR 1087  
ideal



COLOR 1003  
heirloom



COLOR 1007  
curio



COLOR 1108  
occupy



COLOR 1091  
rarity



COLOR 1008  
paradigm



COLOR 1089  
value



COLOR 1107  
principle



COLOR 1088  
benchmark



COLOR 1090  
standards



COLOR 1060  
inheritance



COLOR 1009  
heritage



[above] CLASSICS II // STANDARDS // herringbone TWEED // PLEAT // ashlar  
 [back cover] SIGNATURE II // RARITY // ashlar



## COORDINATES

Beyond the beauty of individual products, our flooring coordinates effortlessly across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs with tonal simplicity to create palettes that reflect the demands of each unique space.

1. BOUCLÉ II // 7081 + 3081 // #2712 Knot // Modular + Broadloom	6. MAKE YOUR MARK // V5012 + V5013 // #1063 Shadow // LVT
2. AGAINST THE GRAIN // 1840 // #2820 Rye // Kinetex	7. JACK // 7914 // #3422 Tie // Modular
3. EBB // 7722 // #3766 Celestial Navy // Modular	8. TWEED // 7083 // #2979 Pleat // Modular
4. SIGNATURE II // V5028 // #1090 Standards // LVT	9. SERENE // 7592 + 6592 // #3229 Soft Grey // Modular + Broadloom
5. CARBON COPY // 1854 // #3408 Dead Ringer // Kinetex	10. TATAMI // V5003 // #1023 Zen // LVT

## SUSTAINABLY SOUND

J+J Flooring believes true sustainability requires full attention to the potential impacts of every aspect of our business. In accordance with our mission of waste reduction, J+J LVT products are 100% recyclable. You can rest assured that health is also a top priority and all J+J Flooring LVT products are FloorScore Certified.



SCCScertified

## MOISTURE

Are high levels of moisture in your concrete slab causing issues with your project's floor covering? We can help.

- » Cost-efficient
- » Long-term performance
- » Requires no special floor preparation

Installed without Commercialon® Premium Sealer	90% RH, pH 9
Installed with Commercialon® Premium Sealer	99% RH, pH 11 (Tiletabs, 5mm) 97% RH, pH 11 Commercialon Adhesive (2.5mm, 3mm)
Installed with Commercialon® High Moisture Adhesive	99% RH, pH12

## ZPT ANTI-MICROBIAL TREATMENT

J+J Flooring LVT features a standard enhancement of ZPT (Zinc Protective Technology) anti-microbial. Dispersed into the product during the manufacturing process, ZPT anti-microbial prevents unpleasant odors, degradation and discoloration as a result of microbial contamination. ZPT contains Zinc Pyrithione as the main ingredient with no harmful additives. Zinc Pyrithione is a common dandruff shampoo ingredient and proven to be safe in both household and commercial use. ZPT anti-microbial technology guarantees your J+J Flooring LVT will provide a beautiful, long lasting and safe floor covering for years to come.

## COMMERCIALON® PREMIUM ADHESIVE FOR MODULAR CARPET AND LVT

A high strength acrylic latex-based adhesive specifically formulated for bonding modular PVC backed carpet and LVT to the floor. This premium adhesive is for use with all Nexus Modular Tile and LVT products. This adhesive is guaranteed for the life of the installation when used in accordance with the J+J Flooring LVT Installation Handbook. Commercialon Premium Adhesive for Modular Carpet and LVT meets the CRI Low-VOC Emission Criteria, CRI ID# PSA-425402.

Commercialon Premium Adhesive is non toxic, has ultra-low odor and is antimicrobial in the dry state.

## OPTIONAL:

## TileTabs - High Tack Adhesive Tabs

(5mm only)



- 1 Protective UV Cured Urethane with Ceramic Bead
- 2 Wear Layer
- 3 High Definition Print Film
- 4 Impact Resistant Core Layer
- 5 Foundational Base Layer

## WARRANTIES

We stand behind every aspect of our LVT. Each warranty is covered for 7 and 15 years, provided that installation and maintenance is in accordance with J+J Flooring's LVT Installation instructions.

Installed with Commercialon® Premium Adhesive (non-prorated)	Installed with TileTabs	Installed with any other adhesive
15 years	15 years (5mm only)	1 Year
7 years light commercial	N/A	1 Year

## STYLE

	timeless II V5011	classics II V5023	signature II V5028
THICKNESS	5 mm	3 mm	2.5 mm
WEAR LAYER	20 mil	20 mil	12 mil
FINISH / COATING	enhanced UV urethane w/ ceramic bead	enhanced UV urethane w/ ceramic bead	enhanced UV urethane w/ ceramic bead
NOMINAL DIMENSIONS (INCHES)	9" x 48"	9" x 48"	9" x 48"
PATTERN REPEAT	random wood pattern	random wood pattern	random wood pattern
MICRO BEVELED	no	yes	no
CLASS / ASTM F1700	class III printed film vinyl plank - type B embossed	class III printed film vinyl plank - type B embossed	class III printed film vinyl plank - type B embossed
ANTIMICROBIAL	ZPT (zinc protective technology)	ZPT (zinc protective technology)	ZPT (zinc protective technology)
SQUARE FEET PER PLANK / TILE	3.00	3.00	3.00
SQUARE FEET PER CARTON	24	39	48
PRODUCT WARRANTY	15 year commercial warranty	15 year commercial warranty	7 year light commercial warranty
INSTALLATION METHOD	full spread or lose lay with perimeter glue	full spread	full spread
REQUIRED ADHESIVE(S)	Commercialon® LVT Adhesive	Commercialon® LVT Adhesive	Commercialon® LVT Adhesive
IIC SOUND RATING	(ASTM E492-09) 48 IIC	(ASTM E492-09) 45 IIC	(ASTM E492-09) 43 IIC
MODULAR INSTALLATION METHODS	  	  	  



©2025 J+J Flooring Group, LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.

Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation.

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not J+J Flooring's responsibility.



P.O. BOX 2207

DALTON, GA 30722

P 800 241 4586

F 706 275 4433

[JJFLOORING.COM](http://JJFLOORING.COM)

FX5126M02

carpet | lvt | kinetex

**J+J** FLOORING  
A DIVISION OF ENGINEERED FLOORS