

Overture Limelight



Overture Limelight



INSPIRATION

The essence of a restful living space involves cozy elements that are designed with a warm sanctuary in mind. Overture features a soft, textural harmony of geometric pattern. Limelight offers a subtly broken linear movement for a soft welcoming aesthetic. Our latest modular and broadloom rooms carpets, Overture and Limelight, offer a palette of five tranquil colorways constructed with solution dyed PET yarn - so your cozy retreat is not only beautiful, but durable as well.



cover: LIMELIGHT // ARTA // broadloom
right: OVERTURE // ARTA // broadloom

Overture

BROADLOOM



COLOR 3325
aria



COLOR 3326
cue



COLOR 3327
mixer



COLOR 3328
solo



COLOR 3329
stage



Limelight

24"X24" MODULAR + BROADLOOM



COLOR 3325
aria



COLOR 3326
cue



COLOR 3327
mixer



COLOR 3328
solo



COLOR 3329
stage





Overture

COORDINATES

Beyond the beauty of individual products, our flooring coordinates effortlessly across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs with tonal simplicity to create palettes that reflect the demands of each unique space.

- | | |
|--------------------------------------------------------------------------|-------------------------------------------------------------------------|
| 1. TRANQUIL // 7593+6593 // 3228 Sky // Modular + Broadloom | 7. STACKED II // 7581 // 2229 Capitan // Modular |
| 2. CONVERGENT // 7925+3925 // 3070 Compose // Modular + Broadloom | 8. SMOLDER // 7715 // 2480 Ash // Modular |
| 3. HERBALIST // 7571+6571 // 3228 Sky // Modular + Broadloom | 9. LIMELIGHT // 7316 + N9132 // 3325 Aria // Modular + Broadloom |
| 4. OVERTURE // N9133 // 3325 Aria // Broadloom | 10. POWER PLAY // V5020 // 1081 Advantage // LVT |
| 5. TIMELESS // V5011 // 1060 Inheritance // LVT | 11. SERENE // 7592+6592 // 3228 Sky // Modular + Broadloom |
| 6. PROVISION // 1831 // 2279 Essential // Kinetex | 12. NATURALIST // 7572+6572 // 3328 Sky // Modular + Broadloom |

OVERTURE // ARIA // Broadloom
 TIMELESS // INHERITANCE // ashlar



LIMELIGHT // CUE // broadloom
 LEGEND // SAGA // ashlar

[back cover] LIMELIGHT // MIXER // broadloom



Limelight

COORDINATES

1. PUT A CORK IN IT // 1830 // 2187 Decanter // Kinetex

2. STRIA // 7585 // 2742 Pima // Modular

3. EMULSION // 7712 // 2315 Bisque // Modular

4. LIMELIGHT // 7316 + N9132 // 3326 Cue // Modular + Broadloom

5. POWER PLAY // V5020 // 1083 Information // LVT

6. CRAFTWORK // 7099+6599 // 2201 Weaver // Modular + Broadloom

7. OVERTURE // N9133 // 3326 Cue // Broadloom

8. TWILL WEAVE // 7586 // 2874 Mills // Modular

9. LEGEND // V5010 // 1055 Saga // LVT

10. PROVISION // 1831 // 2277 Procurement // Kinetex

11. FRACTURED PLAID // 7587 // 2874 Mills // Modular

12. ATMOSPHERIC // 7713 // 2315 Bisque // Modular

FIBER

J+J Flooring’s solution dyed PET is authentically crafted to provide a spectrum of desirable attributes. It’s resistance to stain and bleach, plus its immunity to fading, make it the smart option for your flooring needs. Our solution dyed PET provides vibrant, high definition color in timeless, fashionable designs, that integrate eye-catching aesthetics with state-of-the-art construction. The result? Inherently vivid and durable carpet fibers.

BACKINGS

Nexus® Modular products can be installed in a variety of ways and are performance engineered to be visually appealing. In addition, they are designed to accommodate your long-term flooring budget.

- » Manufactured in an ISO 14001 certified facility
- » Contains pre-consumer recycled content and contributes to LEED
- » Recyclable through the J+J Flooring’s R4 Carpet Reclamation Program

Woven Synthetic Backing System offers superior construction to ensure dimensional stability for broadloom carpets.

OPTIONAL:
TitanBac® Plus Moisture Barrier

ADHESIVE

Commercialon® Premium Carpet Adhesive is formulated for the most demanding interior carpet installations. It forms a powerful bond with stiff and heavy backed commercial carpets directly over approved substrates. It is quick setting, features antimicrobial protection and can be removed easily. This solvent free adhesive is also low in odor, meeting the low VOC emission criteria of the CRI Green Label Plus Indoor Air Quality. Commercialon Premium Adhesive is for use with broadloom PremierBac Plus, TitanBac® Plus and Endure Plus backings systems.

Commercialon® Premium Modular Adhesive A high strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVC backed carpet to the floor. This premium adhesive is for use with all Nexus Modular Tile products. This adhesive is guaranteed for the life of the installation when used in accordance with the J+J Flooring Carpet Installation Handbook. Commercialon Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria, CRI ID# PSA-425402. Commercialon Premium Modular Adhesive is non toxic, has ultra-low odor and is antimicrobial in the dry state.

OPTIONAL:
TileTabs - High Tack Adhesive Tabs (modular only)

Commercialon® High Moisture Adhesive

MOISTURE

Are high levels of moisture in your concrete slab causing issues with your project’s floor covering? We can help.

- » Nexus® Modular Carpet with TileTabs – 99% RH
- » Cost-efficient
- » Long-term performance
- » Straightforward, easy-to-understand warranty
- » Requires no special floor preparation

TECHNOLOGIES

ProTex® Anti-Soil Treatment
ProTex is a proprietary anti-soil treatment technology that is applied and bonded to the pile fiber to impede soiling and to improve cleanability. It is standard on all J+J Flooring products.

OPTIONAL:
ProSept® Antimicrobial Sentir® Advanced Odor-Blocking Technology


APPLICATION

Overture and Limelight are specifically designed and manufactured for residential use and are not designed for commercial applications. Installations in non-residential applications are excluded from warranty coverage.

STYLE	Overture N9133 broadloom	Limelight N9132 broadloom	Limelight 7316 modular
CONSTRUCTION	pattern and cut loop	pattern and cut loop	pattern and cut loop
FIBER TYPE	solution dyed PET	solution dyed PET	solution dyed PET
DYE METHOD	solution dyed	solution dyed	solution dyed
OUNCE WEIGHT	28.0 oz./sy (950 grams/m2)	28.0 oz./sy (950 grams/m2)	30 oz./sy (1017 grams/m2)
GAUGE	1/8 (3.15 rows/cm)	1/8 (3.15 rows/cm)	1/10 (3.94 rows/cm)
BACKING	woven synthetic	woven synthetic	Nexus® Modular
SIZE	12 feet (3.66 cm)	12 feet (3.66 cm)	24” x 24” (61.0 cm x 61.0 cm)
PATTERN REPEAT	36” W x 36” L (91.44 cm W x 91.44 cm L)	24” W x 44” L (60.96 cm W x 111.76 cm L)	n/a
TOTAL THICKNESS (nominal average)	0.250 inches (0.64 cm)	0.250 inches (0.64 cm)	.375 inches (0.95 cm)
APPLICATION	rooms carpet/residential only	rooms carpet/residential only	rooms carpet/residential only
SPECIAL TECHNOLOGY	ProTex® anti-soil treatment	ProTex® anti-soil treatment	ProTex® anti-soil treatment
OPTIONAL SPECIAL TECHNOLOGIES	ProSept® antimicrobial Sentir® advanced odor blocking treatment	ProSept® antimicrobial Sentir® advanced odor blocking treatment	ProSept® antimicrobial Sentir® advanced odor blocking treatment
PHYSICAL TESTING	flooring radiant panel (class 1) pill test – (passes) smoke density (less than 450 flaming) static generation (less than 3.5 kv) ADA compliance (compliant for accessible routes)	flooring radiant panel (class 1) pill test – (passes) smoke density (less than 450 flaming) static generation (less than 3.5 kv) ADA compliance (compliant for accessible routes)	flooring radiant panel (class 1) pill test – (passes) smoke density (less than 450 flaming) static generation (less than 3.5 kv) ADA compliance (compliant for accessible routes)
FIBER WARRANTIES	10 year stain resistance 10 year colorfastness 10 year pet stain resistance 10 year fiber performance for wear 10 year fiber performance for static	10 year stain resistance 10 year colorfastness 10 year pet stain resistance 10 year fiber performance for wear 10 year fiber performance for static	10 year stain resistance 10 year colorfastness 10 year pet stain resistance 10 year fiber performance for wear 10 year fiber performance for static

BACKING WARRANTIES	<i>If installed using glue down installation method:</i> 10 year tuft bind strength (edge ravel, yarn pulls, zippering) 10 year against delamination	<i>If installed using glue down installation method:</i> 10 year tuft bind strength (edge ravel, yarn pulls, zippering) 10 year against delamination	lifetime for tuft bind strength (edge ravel, yarn pulls, zippering) lifetime against delamination lifetime dimensional stability
	<i>If installed using stretch-in installation method:</i> 5 year tuft bind strength (edge ravel, yarn pulls, zippering) 5 year against delamination	<i>If installed using stretch-in installation method:</i> 5 year tuft bind strength (edge ravel, yarn pulls, zippering) 5 year against delamination	

MODULAR INSTALLATION METHODS



STRAIGHT-FORWARD WARRANTIES

Warranty: Installed with TileTabs	Warranty: Installed with Commercialon® Premium Adhesive and Commercialon® High Moisture Adhesive (non-prorated)	Warranty: Installed with any other adhesive	Max RH, pH: Installed without Commercialon® Premium Sealer	Max RH, pH: Installed with Commercialon® Premium Sealer	Max RH, pH: Installed with Commercialon® High Moisture Adhesive
Lifetime	Lifetime	1 Year	90% RH, pH 9	99% RH, pH 11 (TileTabs) 97% RH, pH 11 (Commercialon® Adhesive)	99% RH, pH12

©2024 J+J Flooring Group, LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law. Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation.

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer’s, and not J+J Flooring’s responsibility.



Made in the U.S.A.





P.O. BOX 2207
DALTON, GA 30722
P 800 241 4586
F 706 275 4433
JJFLOORING.COM
MX0122M03

carpet | lvt | kinetex