


THRIVE COLLECTION

# Adapt Adjust Advance



### INSPIRATION

The only thing constant is change. If we can adapt, adjust and advance, we can all thrive. In the spirit of creatively embracing the unexpected, comes this exceptionally fluid collection, Thrive - a visual shift of pattern and color: a contradiction of perceived design that is ever-changing, flexible and transforming.


























### COORDINATES

Beyond the beauty of individual products, our flooring coordinates effortlessly across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs with tonal simplicity to create palettes that reflect the demands of each unique space.

- 1. NETWORK // 1842 // 2907 // Kinetex
- 2. Z FACTOR// 1844 // 2868 // Kinetex
- 3. ADVANCE // 7600 // 3274 // modular
- 4. MAKE YOUR MARK // V5012 // 1074 // LVT
- 5. STORYLINE // 7589 // 3006 // modular
- 6. NARRATIVE // 7084 // 2996 // modular

- 7. WELL VERSED // 7072 // 2027 // modular
- 8. ADJUST // 7601 // 3277 // modular
- 9. ADAPT // 7602 // 3274 // modular
- 10. TWEED // 7083 // 2990 // modular
- 11. ELEMENTAL // 7683 // 2640 // modular
- 12. MERIDIAN // 7579 // 2062 // modular



### Advance 18"x36" MODULAR



COLOR 3266 cool oasis



COLOR 3267 citrus oasis



COLOR 3268 crystal oasis



COLOR 3269 lime oasis



COLOR 3270 warm beam



COLOR 3271 gold beam



color 3272 azure beam



COLOR 3273 light beam



COLOR 3274 carbon path



COLOR 3275 royal path



COLOR 3276 plum path



COLOR 3277 brick path

# Adjust 18"x36" MODULAR

## Adapt 18"x36" MODULAR



COLOR 3266



COLOR 3268

crystal oasis

COLOR 3271

carbon path









citrus oasis

COLOR 3270

warm beam

light beam

COLOR 3276

plum path



COLOR 3269

lime oasis

COLOR 3272

azure beam

royal path



crystal oasis

COLOR 3269 lime oasis











azure beam

COLOR 3275

royal path









carbon path

gold beam









citrus oasis

warm beam

COLOR 3273

light beam

plum path

COLOR 3277 brick path

Please visit jjflooring.com for full

warranty details.

#### FIBER

**Encore® SD Ultima®** (with recycled content) is specifically engineered to maximize appearance retention with exceptional color, performance, sustainability and practicality.

#### BACKINGS

**Nexus® Modular** products can be installed in a variety of ways and are performance engineered to be visually appealing. In addition, they are designed to accommodate your long-term flooring budget.

- » Manufactured in an ISO 14001 certified facility
- » Contains pre-consumer recycled content and contributes to LEED
- » Recyclable through the J+J Flooring's R4 Carpet Reclamation Program

#### ADHESIVE

#### Commercialon® Premium Modular Adhesive

A high strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVC backed carpet to the floor. This premium adhesive is for use with all Nexus Modular Tile products. This adhesive is guaranteed for the lifetime of the installation when used in accordance with the J+J Flooring installation instructions. Commercialon® Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria, CRI ID# PSA-425402. Commercialon® Premium Modular Adhesive is non toxic, has ultra-low odor and is antimicrobial in the dry state.

#### OPTIONAL:

**TileTabs -** High Tack Adhesive Tabs (modular only)

#### MOISTURE

Are high levels of moisture in your concrete slab causing issues with your project's floor covering? We can help.

- » Nexus® Modular Carpet with TileTabs – 99% RH
- » Cost-efficient
- » Long-term performance
- » Straightforward, easy-tounderstand warranty
- » Requires no special floor preparation

#### TECHNOLOGIES

#### ProTex® Anti-Soil Treatment

ProTex is a proprietary anti-soil treatment technology that is applied and bonded to the pile fiber to impede soiling and to improve cleanability. It is standard on all J+J Flooring products.

#### OPTIONAL:

ProSept® Antimicrobial
Sentir® Advanced Odor-Blocking Technology

STRAIGHT-FORWARD WARRANTIES					
<b>Warranty:</b> Installed with TileTabs	Warranty: Installed with Commercialon® Premium Adhesive (non-prorated)	<b>Warranty:</b> Installed with any other adhesive	Max RH, pH: Installed without Commercialon® Premium Sealer	Max RH, pH: Installed with Commercialon® Premium Sealer	
Lifetime	Lifetime	1 Year	90% RH, pH 9	99% RH, pH 11 (Tiletabs) 97% RH, pH 11 (Commercialon® Adhesive	







©2020 J+J Flooring Group, LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law. Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation.

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not J+J Flooring's responsibility.

STYLE	adapt 7602 modular	adjust 7601 modular	advance 7600 modular
CONSTRUCTION	patterned loop	patterned loop	patterned loop
FIBER TYPE	Encore® SD Ultima® Nylon	Encore® SD Ultima® Nylon	Encore® SD Ultima® Nylon
DYE METHOD	solution dyed	solution dyed	solution dyed
OUNCE WEIGHT	21 oz./sy (712 grams/m2)	21 oz./sy (712 grams/m2)	20 oz./sy (678 grams/m2)
GAUGE	1/12 (4.72 rows/cm)	1/12 (4.72 rows/cm)	1/12 (4.72 rows/cm)
BACKING	Nexus® modular	Nexus® modular	Nexus® modular
SIZE	18" x 36" [45.72 cm x 91.44 cm]	18" x 36" [45.72 cm x 91.44 cm]	18" x 36" (45.72 cm x 91.44 cm)
PATTERN REPEAT	n/a	n/a	n/a
TOTAL THICKNESS (nominal average)	0.25 inches (0.635 cm)	0.25 inches (0.635 cm)	0.25 inches (0.635 cm)
SPECIAL TECHNOLOGY	ProTex® anti-soil treatment	ProTex® anti-soil treatment	ProTex® anti-soil treatment
OPTIONAL SPECIAL TECHNOLOGIES	ProSept® antimicrobial Sentir® advanced odor	ProSept® antimicrobial Sentir® advanced odor	ProSept® antimicrobial Sentir® advanced odor
	blocking treatment	blocking treatment	blocking treatment
PHYSICAL TESTING	flooring radiant panel (class 1)	flooring radiant panel (class 1)	flooring radiant panel (class 1)
	pill test – (passes)	pill test – (passes)	pill test – (passes)
	smoke density (less than 450 flaming)	smoke density (less than 450 flaming)	smoke density (less than 450 flaming)
	static generation – (less than 3.5 kv)	static generation – (less than 3.5 kv)	static generation – (less than 3.5 kv)
	ADA compliance (compliant for accessible routes)	ADA compliance (compliant for accessible routes)	ADA compliance (compliant for accessible routes)
WARRANTIES	lifetime fiber performance for wear	lifetime fiber performance for wear	lifetime fiber performance for wear
	lifetime fiber performance for static	lifetime fiber performance for static	lifetime fiber performance for static
	lifetime stain removal	lifetime stain removal	lifetime stain removal
	lifetime colorfastness to light and atmospheric contaminants	lifetime colorfastness to light and atmospheric contaminants	lifetime colorfastness to light and atmospheric contaminants
	lifetime Nexus® modular dimensional stability	lifetime Nexus® modular dimensional stability	lifetime Nexus® modular dimensional stability
	lifetime for tuft bind strength (edge ravel, yarn pulls)	lifetime for tuft bind strength (edge ravel, yarn pulls)	lifetime for tuft bind strength (edge ravel, yarn pulls)
	lifetime against delamination	lifetime against delamination	lifetime against delamination

MODULAR INSTALLATION METHODS



warranty details.



basketweave

Please visit jjflooring.com for full



ashlar






warranty details.

herringbone br

Please visit jjflooring.com for full



P.O. BOX 2207

DALTON, GA 30722

P 800 241 4586

F 706 275 4433

JJFLOORING.COM