

WARP & WEFT COLLECTION

Reed Quill Tabby



INSPIRATION

The rhythmic motion of the weaver's hands as they intertwine the warp and weft of the loom results in an inspired creation – a fusion of textile artistry and technical skill.

Reed brings an asymmetrical balance to structured patterns by blending and layering softened geometrics.

Quill is a hazy abstract tapestry of dusky neutrals that weave in slivers of richer color. Tabby's bold, fragmented geometric has an overlay of irregular neutral colorations rendering an organic, contemporary design.


Each of the three 18x36 patterns in The Warp & Weft Collection have 10 coordinating colorways to mix and match.





















COORDINATES

Beyond the beauty of individual products, our flooring coordinates effortlessly across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs with tonal simplicity to create palettes that reflect the demands of each unique space.

- 1. **BOUCLÉ** // 3081 + 7081 // 2706 Strand // Broadloom + Modular
- 2. COLOR ZONE // 7479 // 3222 Carbon // Modular
- 3. VALLEY // 6501 + 7501 // 3478 Basin // Broadloom + Modular
- 4. CLASSICS II // V5023 // 1000 Notable // LVT
- 5. TABBY // 7802 // 3628 Truffle // Modular
- 6. TERRAZZO // V5035 + V5036 // 1119 Pebble // LVT
- 7. **QUILL** // 7801 // 3628 Truffle // Modular
- 8. ONE GOOD TURN // 7075 // 3330 Turn It On // Modular
- 9. **REED** // 7800 // 3628 Truffle // Modular
- 10. ONE GOOD TURN // 7075 // 2464 Turn The Tide // Modular
- 11. AGAINST THE GRAIN // 1840 // 2825 Millet // Kinetex
- 12. **ZEPHYR** // 7478 // 3362 Westerlies // Modular





COORDINATES

Beyond the beauty of individual products, our flooring coordinates effortlessly across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs with tonal simplicity to create palettes that reflect the demands of each unique space.

- 1. **REED** // 7800 // 3632 Lapis // Modular
- 2. **QUILL** // 7801 // 3632 Lapis // Modular
- 3. **ZEPHYR** // 7478 // 3361 Breeze // Modular
- 4. **BOUCLÈ** // 3081 + 7081 // 2714 Nubby // Broadloom + Modular
- 5. **POP** // 1816 // 1719 Azul // Kinetex
- 6. CRAFTWORK // 6599 + 7099 // 3316 Jeweler // Broadloom + Modular
- 7. COMPOSITE // V5041 + V5042 // 1115 Suitable // LVT
- 8. MAKE YOUR MARK // V5012 + V5013 // 1067 Cobalt // LVT
- 9. TABBY // 7802 // 3632 Lapis // Modular
- 10. ONE GOOD TURN // 7075 // 3332 Turn Of The Century // Modular
- 11. **VELOCITY** // 1814 // 1603 Position // Kinetex
- 12. TIMELESS // V5011 // 1061 Gift // LVT

Warm Colorways 18"x36" MODULAR

COLOR 3623



QUILL COLOR 3623



TABBY COLOR 3623 fawn



COLOR 3625 lichen

QUILL

lichen

TABBY

lichen

COLOR 3625

COLOR 3625



COLOR 3624 claystone



QUILL COLOR 3624 claystone



TABBY COLOR 3624 claystone



COLOR 3626 twilight



QUILL COLOR 3626 twilight



TABBY COLOR 3626 twilight



REED COLOR 3628 truffle



QUILL COLOR 3628 truffle



TABBY COLOR 3628 truffle

Cool Colorways 18"x36" MODULAR



REED COLOR 3627 canvas



QUILL COLOR 3627 canvas



TABBY COLOR 3627 canvas



REED COLOR 3629 sunlit



QUILL COLOR 3629 sunlit



TABBY COLOR 3629 sunlit



REED COLOR 3632 lapis



QUILL COLOR 3632 lapis



TABBY COLOR 3632 lapis



REED

COLOR 3630



COLOR 3630



TABBY COLOR 3630 sea salt



COLOR 3631 noir



QUILL COLOR 3631



21

TABBY COLOR 3631

FIBER

Encore® SD Ultima® Nylon

(with recycled content) is specifically engineered to maximize appearance retention with exceptional color, performance, sustainability, and practicality.

BACKINGS

Nexus® Modular products can be installed in a variety of ways and are performance engineered to be visually appealing. In addition, they are designed to accommodate your long-term flooring budget.

- » Manufactured in an ISO 14001 certified facility
- » Contains pre-consumer recycled content and contributes to LEED
- » Recyclable through the J+J Flooring's R4 Carpet Reclamation Program

ADHESIVE

Commercialon® Premium Modular Adhesive

A high strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVC backed carpet to the floor. This premium adhesive is for use with all Nexus Modular Tile products. This adhesive is guaranteed for the life of the installation when used in accordance with the J+J Flooring Carpet Installation Handbook. Commercialon Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria, CRI ID# PSA-425402. Commercialon Premium Modular Adhesive is non toxic, has ultra-low odor and is antimicrobial in the dry state.

OPTIONAL:

Commercialon® High Moisture Adhesive

TileTabs - High Tack Adhesive Tabs (modular only)

MOISTURE

Are high levels of moisture in your concrete slab causing issues with your project's floor covering? We can help.

- » Nexus® Modular Carpet with TileTabs – 99% RH
- » Cost-efficient
- » Long-term performance
- » Straightforward, easy-tounderstand warranty
- » Requires no special floor preparation

TECHNOLOGIES

ProTex® Anti-Soil Treatment

ProTex is a proprietary anti-soil treatment technology that is applied and bonded to the pile fiber to impede soiling and to improve cleanability. It is standard on all J+J Flooring products.

OPTIONAL:

ProSept® Antimicrobial Sentir® Advanced Odor-Blocking Technology

	STRAIGHT-FORWARD WARRANTIES							
Warranty: Installed with TileTabs	Warranty: Installed with Commercialon® Premium Adhesive and Commercialon® High Moisture Adhesive (non-prorated)	Warranty: Installed with any other adhesive	Max RH, pH: Installed without Commercialon® Premium Sealer	Max RH, pH: Installed with Commercialon® Premium Sealer	Max RH, pH: Installed with Commercialon® High Moisture Adhesive			
Lifetime	Lifetime	1 Year	90% RH, pH 9	99% RH, pH 11 (TileTabs) 97% RH, pH 11 (Commercialon® Adhesive)	99% RH, pH12			









© 2024 J+J Flooring Group, LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law. Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation.

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not J+J Flooring's responsibility.

STYLE	reed 7800 modular	quill 7801 modular	tabby 7802 modular	
CONSTRUCTION	patterned loop	patterned loop	patterned loop	
FIBER TYPE	100% Encore® SD Ultima® Nylon	100% Encore® SD Ultima® Nylon	100% Encore® SD Ultima® Nylon	
DYE METHOD	solution dyed	solution dyed	solution dyed	
OUNCE WEIGHT	20.0 oz/sy (678 grams/m²)	20.0 oz/sy (678 grams/m²)	20.0 oz./sy (678 grams/m²)	
GAUGE	1/12 (4.72 rows/cm)	1/12 (4.72 rows/cm)	1/12 (4.72 rows/cm)	
BACKING	Nexus® modular	Nexus® modular	Nexus® modular	
SIZE	18" x 36" (45.72 cm x 91.44 cm)	18" x 36" (45.72 cm x 91.44 cm)	18" x 36" (45.72 cm x 91.44 cm)	
TOTAL THICKNESS (nominal average)	0.190 inches (0.483 cm)	0.190 inches (0.483 cm)	0.190 inches (0.483 cm)	
SPECIAL TECHNOLOGY	ProTex® anti-soil treatment	ProTex® anti-soil treatment	ProTex® anti-soil treatment	
OPTIONAL SPECIAL	ProSept® antimicrobial	ProSept® antimicrobial	ProSept® antimicrobial	
TECHNOLOGIES	Sentir® advanced odor blocking treatment	Sentir® advanced odor blocking treatment	Sentir® advanced odor blocking treatment	
PHYSICAL TESTING	flooring radiant panel (class 1)	flooring radiant panel (class 1)	flooring radiant panel (class 1)	
	pill test – (passes)	pill test – (passes)	pill test – (passes)	
	smoke density (less than 450 flaming)	smoke density (less than 450 flaming)	smoke density (less than 450 flaming)	
	static generation – (less than 3.5 kv)	static generation – (less than 3.5 kv)	static generation – (less than 3.5 kv)	
	ADA compliance (compliant for accessible routes)	ADA compliance (compliant for accessible routes)	ADA compliance (compliant for accessible routes)	
FIBER WARRANTY	lifetime fiber performance for wear	lifetime fiber performance for wear	lifetime fiber performance for wear	
	lifetime fiber performance for static	lifetime fiber performance for static	lifetime fiber performance for static	
	lifetime stain removal	lifetime stain removal	lifetime stain removal	
	lifetime colorfastness to light and atmospheric contaminants	lifetime colorfastness to light and atmospheric contaminants	lifetime colorfastness to light and atmospheric contaminants	
BACKING WARRANTY	lifetime for tuft bind strength (edge ravel, yarn pulls, zippering)	lifetime for tuft bind strength (edge ravel, yarn pulls, zippering)	lifetime for tuft bind strength (edge ravel, yarn pulls, zippering)	
	lifetime against delamination	lifetime against delamination	lifetime against delamination	
	lifetime dimensional stability	lifetime dimensional stability	lifetime dimensional stability	

MODULAR INSTALLATION METHODS







ashlar









monolithic



P.O. BOX 2207

DALTON, GA 30722

P 800 241 4586

F 706 275 4433

JJFLOORING.COM

JX9524M01

