

CLASSIFICATION: 09 65 19 23

PRODUCT DESCRIPTION: Our high performance luxury vinyl plank products, including Classics, Framework, Modern Classics, and Tatami, have commercial grade backing and can withstand heavy amounts of traffic.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

J+J FLOORING - LUXURY VINYL TILE (LVT) [LIMESTONE; CALCIUM CARBONATE LT-UNK POST-CONSUMER PVC SOURCED FROM CO-MINGLED SCRAP (PVC SCRAP POWDER) LT-P1 | RES POLYVINYL CHLORIDE (PVC) LT-P1 | RES POLYVINYL CHLORIDE (PVC) (POLYVINYL CHLORIDE (PVC) (PVC SCRAP CHIPS)) LT-P1 | RES BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3 BARIUM DISTEARATE LT-UNK ZINC STEARATE LT-P1 2-(ACRYLOYLOXY)ETHANOL LT-P1 | AQU | MAM | SKI | MUL TRIPROPYLENE GLYCOL DIACRYLATE LT-P1 | AQU | SKI | EYE | MUL CALCIUM STEARATE LT-UNK PARAFFIN LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

J+J's supplier worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1000 ppm threshold

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared
VERIFIER: SCS Global Services
VERIFICATION #: qGE-6561

SCREENING DATE: 2019-07-02
PUBLISHED DATE: 2019-07-22
EXPIRY DATE: 2022-07-02



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

J+J FLOORING - LUXURY VINYL TILE (LVT)

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: J+J's supplier worked with the Third Party Preparer, ToxServices, to confirm that all residuals and impurities have been considered under this HPD. The preparer worked with the suppliers to verify full disclosure on residual/impurities that may be present in the final formulation at 1,000 ppm or >. Per the supplier disclosure, the preparer determined that no residuals or impurities are present in the final formulation at > 1,000 ppm.

OTHER PRODUCT NOTES:

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-07-02

#: 40.73 - 40.73

GS: LT-UNK

RC: None

NANO: No

ROLE: Structure

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

POST-CONSUMER PVC SOURCED FROM CO-MINGLED SCRAP (PVC SCRAP POWDER)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-07-02

#: 29.35 - 36.83

GS: LT-P1

RC: PostC

NANO: No

ROLE: Sturcture

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: PVC Scrap Powder is sourced from reclaimed Luxury Vinyl Tiles from demolished buildings. Every time the product is shipped to the factory it is subjected to Specific Gravity and Heavy Metal Content testing according to ASTM F 963. Ranges are due to variances in the thickness of the base layer.

POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-07-02

%: **17.23 - 17.23** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Structure**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

POLYVINYL CHLORIDE (PVC) (POLYVINYL CHLORIDE (PVC) (PVC SCRAP CHIPS))

ID: **9002-86-2**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-07-02**

%: **12.61 - 24.69** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Structure**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. Ranges are due to variances in the thickness of the base layer.

BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: **6422-86-2**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-07-02**

%: **3.18 - 5.42** GS: **BM-3** RC: **None** NANO: **No** ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are due to variances in the thickness of the base layer. The GreenScreen® assessment was completed by ToxServices LLC, was given to Healthy Building Network for them to use in their Pharos online tool.

BARIUM DISTEARATE

ID: **6865-35-6**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-07-02**

%: **0.10 - 0.40** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are due to variances in the thickness of the base layer.

ZINC STEARATE

ID: **557-05-1**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-07-02**

%: **0.09 - 0.23**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Stabilizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are due to variances in the thickness of the base layer.

2-(ACRYLOYLOXY)ETHANOL

ID: **818-61-1**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-07-02**

%: **0.08 - 0.12**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **UV Resin**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ACUTE AQUATIC

EU - GHS (H-Statements)

H400 - Very toxic to aquatic life

MAMMALIAN

EU - GHS (H-Statements)

H311 - Toxic in contact with skin

SKIN IRRITATION

EU - GHS (H-Statements)

H314 - Causes severe skin burns and eye damage

SKIN SENSITIZE

EU - GHS (H-Statements)

H317 - May cause an allergic skin reaction

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SKIN SENSITIZE

MAK

Sensitizing Substance Sh - Danger of skin sensitization

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: Ranges are due to variances in the thickness of the base layer.

TRIPROPYLENE GLYCOL DIACRYLATE

ID: **42978-66-5**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-07-02**

%: **0.06 - 0.11**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **UV Resin**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CHRON AQUATIC

EU - GHS (H-Statements)

H411 - Toxic to aquatic life with long lasting effects

SKIN IRRITATION

EU - GHS (H-Statements)

H315 - Causes skin irritation

SKIN SENSITIZE

EU - GHS (H-Statements)

H317 - May cause an allergic skin reaction

EYE IRRITATION

EU - GHS (H-Statements)

H319 - Causes serious eye irritation

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SKIN SENSITIZE

MAK

Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: Ranges are due to variances in the thickness of the base layer.

CALCIUM STEARATE

ID: 1592-23-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-07-02**%: **0.00 - 0.22**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Stabilizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Ranges are due to variances in the thickness of the base layer.****PARAFFIN**

ID: 8002-74-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-07-02**%: **0.00 - 0.11**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Stabilizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Ranges are due to variances in the thickness of the base layer.**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

RFCI FloorScore

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

https://www.scs-certified.com/products/cert_pdfs/EngineeredFloors_2019_SCS-FS-04507_s2.pdf

ISSUE DATE:

2019-05-01

EXPIRY

DATE:
2020-04-30

CERTIFIER OR LAB:

SCS Global Services

CERTIFICATION AND COMPLIANCE NOTES: Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0 Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017) Registration #SCS-FS-04507

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

COMMERCIALON® PREMIUM ADHESIVE

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

COMMERCIALON Premium Modular Tile and LVT Adhesive is a superior-performance, acrylic-latex, pressure-sensitive adhesive that is recommended for installing all PVC-backed carpet squares (modules) and luxury vinyl tile. VOC content is less than 50g/L.

Section 5: General Notes

Due to the similar formulation of all LVT products, this HPD covers the following models: Loose Lay LVT, Click LVT, and Dryback LVT sold by J+J Flooring.



MANUFACTURER INFORMATION

MANUFACTURER: **Engineered Floors**
 ADDRESS: **818 J&J Drive**
PO Box 1287
Dalton GA 30722, USA
 WEBSITE: **jjflooringgroup.com**

CONTACT NAME: **Russ Delozier**
 TITLE: **Director of Sustainability**
 PHONE: **800.241.4586 x8405**
 EMAIL: **russ.delozier@jjflooring.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.